

Clinic Part
临床类

Page 3 - 28　第3至28页



Diamond burs 金刚石车针

Page 4 - 12　第4至12页

Diamond Ortho-strips
金刚石锯弓

Page 13　第13页

Diamond Finishing Strips
金刚石抛光条

Page 14　第14页

Tungsten Carbide burs
钨钢车针

Page 15 - 18　第15至18页

White Stones 白车石
Green Stones 绿车石

Page 19　第19页

Diamond Stones, Polishers
陶瓷（橡胶）金刚车石磨头

Page 20　第20页

Finishing or Polishing Burs after Debonding
（脱胶后）洁牙磨头

Page 21　第21页

Twin-Color Silicon Polishers
硅胶抛光磨头

Page 22　第22页

Silicon Polishers
硅胶抛光磨头

Page 23　第23页

Polishing Brushes 抛光刷

Page 24　第24页

Mandrels, Sterile Blocks
夹针、消毒盒

Page 25　第25页

Kit 套装

Page 26 - 31　第26至31页

Samples Collection
样品册

Page 32　第32页

Diamond Bur

金刚砂车针



Advantages

1. Strictly comply with ISO Standard ;
2.Sharper and More Efficient ;
3.Durable and Valuable ;
4.Full Range of shapes and grits.
5.Fastly develop new items.
6. Individual Design and OEM Serivce



Grit

- S : Black / Super Coarse
- C : Green / Coarse
- M : Blue / Medium
- F : Red / Fine
- EF : Yellow / Extra Fine

FG 314 Shank

	0.8 19.0 001 (801)	1.0 19.0 001 (801)	1.2 19.0 001 (801)	1.4 19.0 001 (801)	1.6 19.0 001 (801)	1.8 19.0 001 (801)	2.1 19.0 001 (801)	2.3 19.0 001 (801)	2.5 19.0 001 (801)	2.9 19.0 001 (801)
M	001-008M BR-49	001-010M BR-45	001-012M BR-46	001-014M BR-41	001-016M BR-40	001-018M BR-31	001-021M BR-28	001-023M BR-26	001-025M BR-25	001-029M BR-23
S				001-014S BR-41S	001-016S BR-40S	001-018S BR-31S	001-021S BR-28S	001-023S BR-26S	001-025S BR-25S	001-029S BR-23S
C			001-012C BR-46C	001-014C BR-41C	001-016C BR-40C	001-018C BR-31C	001-021C BR-28C	001-023C BR-26C	001-025C BR-25C	001-029C BR-23C
F			001-012F BR-46F	001-014F BR-41F	001-016F BR-40F	001-018F BR-31F	001-021F BR-28F	001-023F BR-26F		
EF			001-012EF BR-46EF	001-014EF BR-41EF	001-016EF BR-40EF	001-018EF BR-31EF	001-021EF BR-28EF	001-023EF BR-26EF		

Ball , Round /BR

FG 314 Shank

	1.2 22.0 697 (801L)	1.4 22.0 697 (801L)	1.6 22.0 697 (801L)	1.8 22.0 697 (801L)	1.2/2.3 19.0 002 (802)	1.4/2.3 19.0 002 (802)	1.6/3.5 19.0 002 (802)	1.8/2.3 19.0 002 (802)
M	697-012M BR-L46	697-014M BR-L41	697-016M BR-L40	697-018M BR-L31	002-012M BC-43	002-014M BC-42	002-016M BC-32	002-018M BC-31
S			697-016S BR-L40S	697-018S BR-L31S				
C	697-012C BR-L46C	697-014C BR-L41C	697-016C BR-L40C	697-018C BR-L31C				


Round with Long Neck /BR

Round with Collor /BC

FG 314 Shank

	1.0(0.8)/1.0 19.0 010 (805)	1.2(0.9)/1.2 19.0 010 (805)	1.4(1.0)/1.6 19.0 010 (805)	1.6(1.1)/1.8 19.0 010 (805)	1.4(1.1)/4.0 19.0 225 (807)	1.6(1.2)/4.0 19.0 225 (807)	1.8(1.3)/5.0 19.0 225 (807)
M	010-010M SI-45	010-012M SI-46	010-014M SI-47	010-016M SI-48	225-014M SI-50	225-016M —	225-018M SI-51
S				010-016S SI-48S			
C		010-012C SI-46C	010-014C SI-47C				


Inverted Conical / SI



FG 314 Shank							
M	**019-010M** DI-41	**019-014M** DI-42	**038-032M** EX-11	**039-035M** EX-12	**044-045M** WR-44	**067-042M** WR-11	**068-042M** WR-13
S			**038-032S** EX-11S	**039-035S** EX-12S			
C			**038-032C** EX-11C	**039-035C** EX-12C			**068-042C** WR-13C


Double Conical

Wheel




FG 314 Shank										
M	**109-010M** SF-41	**109-012M** SF-31	**109-014M** SF-42	**109-016M** —	**110-012M** SF-20	**110-014M** SF-21	**110-016M** SF-15	**111-012M** SF-11	**111-014M** SF-12	**111-016M** SF-13
S		**109-012S** SF-31S	**109-014S** SF-42S			**110-014S** SF-21S	**110-016S** SF-15S	**111-012S** SF-11S	**111-014S** SF-12S	**111-016S** SF-13S
C		**109-012C** SF-31C	**109-014C** SF-42C	**109-016C** —	**110-012C** SF-20C	**110-014C** SF-21C	**110-016C** SF-15C	**111-012C** SF-11C	**111-014C** SF-12C	**111-016C** SF-13C
F	**109-010F** SF-41F	**109-012F** SF-31F			**110-012F** SF-20F	**110-014F** SF-21F	**110-016F** SF-15F	**111-012F** SF-11F	**111-014F** SF-12F	**111-016F** SF-13F
EF						**110-014EF** SF-21EF		**111-012EF** SF-11EF	**111-014EF** SF-12EF	**111-016EF** SF-13EF

Flat End Cylinder



FG 314 Shank						
M	**130-012M** CP-11	**130-014M** CP-12	**130-016M** CP-13	**131-012M** —	**131-014M** —	**131-016M** —
C	**130-012C** CP-11C	**130-014C** CP-12C	**130-016C** CP-13C	**131-012C** —	**131-014C** —	**131-016C** —

Cylinder,end cone,pointed




FG 314 Shank

M	**139-010M** SR-41	**139-012M** SR-31	**139-014M** SR-42	**140-014M** SR-21	**141-012M** SR-11	**141-014M** SR-12	**141-016M** SR-13			**150-012M** EX-18
S					**141-012S** SR-11S	**141-014S** SR-12S	**141-016S** SR-13S			
C				**140-014C** SR-21C	**141-012C** SR-11C	**141-014C** SR-12C	**141-016C** SR-13C	**142-014C** —	**142-016C** —	
F	**139-010F** SR-41F	**139-012F** SR-31F	**139-014F** SR-42F	**140-014F** SR-21F	**141-012F** SR-11F	**141-014F** SR-12F	**141-016F** SR-13F			**150-012F** EX-18F
EF		**139-012EF** SR-31EF		**140-014EF** SR-21EF	**141-012EF** SR-11EF	**141-014EF** SR-12EF	**141-016EF** SR-13EF			

Round End Cylinder


End Cut



FG 314 Shank

M	**164-012M** TC-26		**165-014M** TC-21	**166-010M** TC-27	**166-012M** TC-28	**166-014M** TC-10	**166-016M** TC-11	**166-018M** TC-16
S			**165-014S** TC-21S			**166-014S** TC-10S	**166-016S** TC-11S	**166-018S** TC-16S
C			**165-014C** TC-21C			**166-014C** TC-10C	**166-016C** TC-11C	**166-018C** TC-16C
F	**164-012F** TC-26F	**165-012F** —	**165-014F** TC-21F	**166-010F** TC-27F	**166-012F** TC-28F	**166-014F** TC-10F	**166-016F** TC-11F	**166-018F** TC-16F
EF	**164-012EF** TC-26EF	**165-012EF** —	**165-014EF** TC-21EF	**166-010EF** TC-27EF	**166-012EF** TC-28EF	**166-014EF** TC-10EF	**166-016EF** TC-11EF	**166-018EF** TC-16EF


Needle/TC



FG 314 Shank


C	**167-014C** —	**167-016C** —	**167-018C** —

Needle/TC




FG 314 Shank										
M	**169-010M** TF-41	**170-012M** TF-42	**170-014M** TF-43	**170-016M** TF-31	**170-018M** TF-23	**170-021M** TF-22	**171-014M** TF-20	**171-016M** TF-21	**172-010M** TF-07	**172-012M** TF-08
S								**171-016S** TF-21S		
C			**170-014C** TF-43C				**171-014C** TF-20C			
F			**170-014F** TF-43F				**171-014F** TF-20F	**171-016F** TF-21F		**172-012F** TF-08F
EF								**171-016EF** TF-21EF		

Flat End Cone




FG 314 Shank							
M	**172-014M** TF-09	**172-016M** TF-10	**172-018M** TF-56	**172-023M** TF-14	**173-014M** TF-11	**173-016M** TF-12	**173-018M** TF-13
S	**172-014S** TF-09S	**172-016S** TF-10S			**173-014S** TF-11S	**173-016S** TF-12S	**173-018S** TF-13S
C	**172-014C** TF-09C	**172-016C** TF-10C	**172-018C** TF-56C	**172-023C** TF-14C	**173-014C** TF-11C	**173-016C** TF-12C	**173-018C** TF-13C
F	**172-014F** TF-09F	**172-016F** TF-10F	**172-018F** TF-56F		**173-014F** TF-11F	**173-016F** TF-12F	**173-018F** TF-13F
EF		**172-016EF** TF-10EF			**173-014EF** TF-11EF	**173-016EF** TF-12EF	**173-018EF** TF-13EF

Flat End Cone




FG 314 Shank										
M	**196-010M** CR-41	**196-012M** CR-31	**196-014M** CR-42	**196-016M** CR-12	**196-020M** CR-11	**197-012M** —	**197-014M** TR-20	**197-016M** TR-21	**197-018M** TR-62	**197-020M** TR-63
S								**197-016S** TR-21S		
C							**197-014C** TR-20C	**197-016C** TR-21C	**197-018C** TR-62C	
F		**196-012F** CR-31F		**196-016F** CR-12F	**196-020F** CR-11F	**197-012F** —	**197-014F** TR-20F	**197-016F** TR-21F	**197-018F** TR-62F	
EF				**196-016EF** CR-12EF	**196-020EF** CR-11EF	**197-012EF** —	**197-014EF** TR-20EF	**197-016EF** TR-21EF	**197-018EF** TR-62EF	

Round End Cone




FG 314 Shank	1.2(0.7)/8.0 22.0 198 (856)	1.4(0.8)/8.0 22.0 198 (856)	1.6(0.9)/8.0 22.0 198 (856)	1.8(1.0)/8.0 22.0 198 (856)	1.2(0.6)/10.0 22.0 199 (850)	1.4(0.7)/10.0 22.0 199 (850)	1.6(0.8)/10.0 22.0 199 (850)	1.8(0.9)/9.0 22.0 199 (850)	2.2(1.3)/9.0 22.0 199 (850)	2.2(1.3)/11.0 24.0 200 (850L)
M	**198-012M** —	**198-014M** TR-25	**198-016M** TR-24	**198-018M** TR-23	**199-012M** —	**199-014M** TR-11	**199-016M** TR-12	**199-018M** TR-13	**199-022M** TR-14	**200-022M** TR-15
S		**198-014S** TR-25S	**198-016S** TR-24S			**199-014S** TR-11S	**199-016S** TR-12S	**199-018S** TR-13S		
C		**198-014C** TR-25C	**198-016C** TR-24C	**198-018C** TR-23C		**199-014C** TR-11C	**199-016C** TR-12C	**199-018C** TR-13C	**199-022C** TR-14C	
F	**198-012F** —	**198-014F** TR-25F	**198-016F** TR-24F	**198-018F** TR-23F	**199-012F** —	**199-014F** TR-11F	**199-016F** TR-12F	**199-018F** TR-13F	**199-022F** TR-14F	
EF	**198-012EF** —	**198-014EF** TR-25EF	**198-016EF** TR-24EF	**198-018EF** TR-23EF	**199-012EF** —	**199-014EF** TR-11EF	**199-016EF** TR-12EF	**199-018EF** TR-13EF		

Round End Cone



FG 314 Shank	2.4(1.4)/11.0 24.0 200 (850L)	1.0(0.8)/2.8 19.0 233 (808)	1.4(1.1)/4.0 19.0 234 (808L)	1.8(1.3)/5.0 19.0 237 (808R)	2.1(1.6)/5.0 19.0 237 (808R)	3.2(1.8)/5.0 19.0 237 (808R)
M	**200-024M** TR-19	**233-010M** EX-41	**234-014M** EX-31	**237-018M** EX-20	**237-021M** EX-21	**237-032M** EX-26
S				**237-018S** EX-20S	**237-021S** EX-21S	
F			**234-014F** EX-31F	**237-018F** EX-20F	**237-021F** EX-21F	
EF			**234-014EF** EX-31EF	**237-018EF** EX-20EF	**237-021EF** EX-21EF	

Pear



FG 314 Shank	1.0/4.3 23.5 540 (889)	1.2/6.0 21.0 248 (861)	1.4/6.0 21.0 248 (861)	1.4/8.0 22.0 249 (862)	1.6/8.0 22.0 249 (862)	1.2/10.0 24.0 250 (863)	1.4/10.0 24.0 250 (863)	1.6/10.0 24.0 250 (863)	1.8/9.5 21.0 190 (---)
M		**248-012M** FO-41	**248-014M** FO-20	**249-014M** FO-21	**249-016M** FO-22	**250-012M** FO-11	**250-014M** FO-12	**250-016M** FO-13	
S		**248-012S** FO-41S	**248-014S** FO-20S	**249-014S** FO-21S	**249-016S** FO-22S	**250-012S** FO-11S	**250-014S** FO-12S	**250-016S** FO-13S	
C				**249-0 14C** FO-21C	**249-016C** FO-22C	**250-012C** FO-11C	**250-014C** FO-12C	**250-016C** FO-13C	**190-018C** FO-54C
F		**248-012F** FO-41F	**248-01 4F** FO-20F	**249-014F** FO-21F	**249-016F** FO-22F	**250-012F** FO-11F	**250-014F** FO-12F	**250-016F** FO-13F	
EF	**540-010EF** FO-40EF	**248-012EF** FO-41EF	**248-01 4EF** FO-20EF	**249-014EF** FO-21EF	**249-016EF** FO-22EF	**250-012EF** FO-11EF	**250-014EF** FO-12EF	**250-016EF** FO-13EF	

Flame










FG 314 Shank	1.6/3.5 19.0 257 (368,830)	1.8/3.6 19.0 257 (368,830)	2.1/5.0 19.0 257 (368,830)	2.3/5.0 19.0 257 (368,830)	2.5/5.0 19.0 257 (368,830)	2.8/5.0 19.0 257 (368,830)	3.0/5.0 19.0 257 (368,830)	3.2/5.0 19.0 257 (368,830)
M	**257-016M** FO-30	**257-018M** FO-32	**257-021M** —	**257-023M** FO-34	**257-025M** FO-24	**257-028M** FO-25	**257-030M** FO-26	**257-032M** FO-27
S		**257-018S** FO-32S	**257-021S** —	**257-023S** FO-34S	**257-025S** FO-24S	**257-028S** FO-25S	**257-030S** FO-26S	**257-032S** FO-27S
C		**257-018C** FO-32C	**257-021C** —	**257-023C** FO-34C	**257-025C** FO-24C	**257-028C** FO-25C		
F	**257-016F** FO-30F	**257-018F** FO-32F	**257-021F** —	**257-023F** FO-34F	**257-025F** FO-24F	**257-028F** FO-25F	**257-030F** FO-26F	**257-032F** FO-27F
EF	**257-016EF** FO-30EF	**257-018EF** FO-32EF	**257-021EF** —	**257-023EF** FO-34EF	**257-025EF** FO-24EF	**257-028EF** FO-25EF	**257-030EF** FO-26EF	**257-032EF** FO-27EF

Bud









FG 314 Shank	1.6/3.2 19.0 277 (379,833)	1.8/3.5 19.0 277 (379,833)	2.0/3.9 19.0 277 (379,833)	2.3/4.5 19.0 277 (379,833)	3.0/5.0 19.0 277 (379,833)	1.6/5.0 19.0 465 (820)	3.1/3.5 19.0 465 (820)
M	**277-016M** —	**277-018M** —	**277-020M** TR-22	**277-023M** —	**277-030M** TR-28	**465-016M** —	
S			**277-020S** TR-22S		**277-030S** TR-28S		
F	**277-016F** —	**277-018F** —	**277-020F** TR-22F	**277-023F** —	**277-030F** TR-28F	**465-016F** —	**465-031F** —
EF	**277-016EF** —	**277-018EF** —	**277-020EF** TR-22EF	**277-023EF** —	**277-030EF** TR-28EF	**465-016EF** —	

Egg

Interdental











FG 314 Shank	1.2/6.0 21.0 288 (867,877)	1.2/8.0 22.0 289 (868,878)	1.4/8.0 22.0 289 (868,878)	1.6/8.0 22.0 289 (868,878)	1.2/10.0 24.0 290 (869,879)	1.4/10.0 24.0 290 (869,879)	1.6/10.0 24.0 290 (869,879)
M	**288-012M** SO-20	**289-012M** —	**289-014M** SO-21	**289-016M** —	**290-012M** —	**290-014M** —	**290-016M** —
S			**289-014S** SO-21S				
C		**289-012C** —	**289-014C** SO-21C	**289-016C** —	**290-012C** —	**290-014C** —	**290-016C** —
F	**288-012F** SO-20F	**289-012F** —	**289-014F** SO-21F	**289-016F** —			
EF	**288-012EF** SO-20EF		**289-014EF** SO-21EF				

Torpedo



FG 314 Shank						
M	**298-016M** —	**298-018M** —	**299-016M** —	**299-018M** —	**115-014M** BC-11	**178-016M** BC-12
S	**298-016S** —		**299-016S** —			
C	**298-016C** —	**298-018C** —	**299-016C** —	**299-018C** —		


Torpedo,Conical



FG 314 Shank								
M	**552-016M** VP-20	**552-018M** VP-21	**552-021M** VP-22	**544-018M** RS-31/EX-38	**545-018M** RS-21/EX-29	**546-016M** —	**553-018M** —	**553-019M** RS-11 / EX-17


Depth Marking

Taper, Round Edge




FG Surgical


001-X010M	001-X012M	001-X014M	001-X016M	001-X018M	010-X012M	111-X012M	111-X014M
BR-X45	BR-X46	BR-X41	BR-X40	BR-X31	SI-X46	SF-X11	SF-X12



111-X016M	166-X016M	173-X014M	173-X016M	173-X018M	199-X016M	200-X022M	249-X014M	249-X016M
SF-X13	TC-X11	TF-X11	TF-X12	TF-X13	TR-X12	TR-X15	FO-X21	FO-X22




001-X016S	001-X018S	001-X014C	001-X016C	001-X018C
BR-X40S	BR-X31S	BR-X41C	BR-X40C	BR-X31C




FG Short


001-S010M	001-S012M	001-S014M	010-S012M	010-S016M	165-S014M
BR-S45	BR-S46	BR-S41	SI-S46	SI-S48	TC-S21



169-S010M	170-SS016M	170-S016M	170-S018M	170-S021M	171-S016M	171-S014M
TF-S41	TF-SS31	TF-S31	TF-S23	TF-S22	TF-S21	TF-S20




197-S014M	197-S016M	199-S018M	249-S014M
TR-S20	TR-S21	TR-S13	FO-S21



M	001-R012M BR-R46	001-R014M BR-R41	001-R016M BR-R40	001-R018M BR-R31	001-R023M BR-R26	010-R010M SI-R45	010-R012M SI-R46	010-R014M SI-R47	010-R016M SI-R48
F			001-R016F BR-R40F	001-R018F BR-R31F	001-R023F BR-R26F				
EF			001-R016EF BR-R40EF	001-R018EF BR-R31EF	001-R023EF BR-R26EF				

Ball , Round /BR


Inverted Conical / SI



109-R010M SF-R41	109-R012M SF-R31	109-R014M SF-R42	111-R012M SF-R11	111-R014M SF-R12	111-R016M SF-R13	141-R012M SR-R11	141-R014M SR-R12

Flat End Cylinder / SF

Round End Cylinder / SR




M	165-R014M TC-R21	166-R016M TC-R11	169-R010M TF-R41	170-R012M TF-R42	198-R018M TR-R23	199-R016M TR-R12	257-R018M FO-R32
F	165-R014F TC-R21F						257-R018F FO-R32F

Needle

Flat End Cone /TF

Round End Cone/ TR

Flame / FO



Diamond Ortho-strips


金刚石锯弓




Creating addtional space by interproximal enamel reduction (IPR) :
When opening the interdental space and reducing, finishing and polishing enamel in orthodontics, care must be taken to avoid grooves and scratches. it's important to proceed step by step, following a coarse-to-fine sequence.







Separating



Reducing




Contouring


Item No.	OS40	OS30	OS25
Thickness (mm)	0.40 mm	0.30 mm	0.25 mm



Finishing



Pre-polishing



Polishing



No-Diamond Coated with serrated edge

OS20	OS15	OS10	OS05
0.20 mm	0.15 mm	0.10 mm	0.05 mm



Diamond finishing strips

金刚石抛光条



Perforated Diamond finishing strips with and without serrated edge ;

Double side Coated / Single side Coated ;

with or without honeycomb design .

45 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.16mm **No. : SWS37** — Double side Coated

45 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.13mm **No. : WS37** — Single side Coated

30 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.12mm **No. : SWS37F** — Double side Coated

30 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.10mm **No. : WS37F** — Single side Coated

15 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.10mm **No. : SWS37EF** — Double side Coated

15 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.08mm **No. : WS37EF** — Single side Coated

45 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.16mm **No. : SDS37** — Double side Coated

45 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.13mm **No. : DS37** — Single side Coated

30 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.12mm **No. : SDS37F** — Double side Coated

30 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.10mm **No. : DS37F** — Single side Coated

15 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.10mm **No. : SDS37F** — Double side Coated

15 µm **L**ength x **W**idth x **T**hickness : 148 x 3.75 x 0.08mm **No. : DS37F** — Single side Coated



10 pcs of each per pack
or 10 pcs mixed 2 •+4 •+ 4 •


Tungsten Carbide Bur


钨 钢 车 针



Advantages

1. Strictly comply with ISO Standard
2.Sharper and More Efficient
3.Durable and Valuable
4. FG, FG Short, FG Long, RA, RA Long etc






Ball , Plain Cut



ISO 500 ... 001 001	005	006	008	010	012	014	016	018	021	023	025
FG 314	FG 1/4	FG 1/2	FG 1	FG 2	FG 3	FG 4	FG 5	FG 6	FG 7	FG 8	FG 9
FG S 313			FG S1	FG S2	FG S3	FG S4	FG S5				
FG X 316			FG X1	FG X2	FG X3	FG X4	FG X5	FG X6	FG X7	FG X8	
RA 204		RA 1/2	RA 1	RA 2	RA 3	RA 4	RA 5	RA 6	RA 7	RA 8	
RA X 205				RA X2	RA X3	RA X4	RA X5	RA X6	RA X7	RA X8	




Inverted Cone



ISO 500 ... 010 001	008	010	012	014	016	018	021	023
FG 314	FG 34	FG 35	FG 36	FG 37	FG 38	FG 39		
RA 204	RA 34	RA 35	RA 36	RA 37	RA 38	RA 39	RA 40	RA 41



Cylinder, Plain Cut



ISO 500 ... 107 006	008	009	010	012	014	016
Working Length/mm	4.0	4.0	4.0	4.0	4.0	4.0
FG 314	FG 55	FG 56	FG 57	FG 58	FG 59	FG 60
FG X 316			FG X57	FG X58		




Flat End Taper, Plain Cut



ISO 500 ... 168 006	008	009	010	012	016	009	010	012	016
Working Length/mm	4.0	4.0	4.0	4.0	4.0	6.0	6.0	6.0	6.0
FG 314	FG 168	FG 169	FG 170	FG 171	FG 172	FG 169L	FG 170L	FG 171L	FG 172L
FG X 316			FG X170	FG X171					



Pear Plain Cut




ISO 500 ... 233 001	009	012	006	008	010	012	010	012
Working Length/mm	2.5	2.9	1.7	1.8	2.0	2.2	4.1	4.1
FG 314	**FG 245**	**FG 246**	**FG 329**	**FG 330**	**FG 331**	**FG 332**	**FG 331L**	**FG 332L**
FG S 313	**FG S245**							
RA 204	**RA 245**							




Cylinder, Cross Cut




ISO 500 ... 107 007	008	009	010	012	014	016	018	021	023
Working Length/mm	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
FG 314	**FG 555**	**FG 556**	**FG 557**	**FG 558**	**FG 559**	**FG 560**			
FG S 313		**FG S556**	**FG S557**						
FG X 316			**FG X557**	**FG X558**	**FG X559**				
RA 204		**RA 556**	**RA 557**	**RA 558**	**RA 559**	**RA 560**	**RA 561**	**RA 562**	**RA 563**
RA X 205			**RA X557**						



Cylinder, Cross Cut



ISO 500 ... 110 007	009	010	012	014
Working Length/mm	6.0	6.0	6.0	6.0
FG 314	**FG 556L**	**FG 557L**	**FG 558L**	**FG 559L**



Flat End Taper, Cross Cut



ISO 500 ... 168 007	008	009	010	012	016	021	023	009	010	012	016
Working Length/mm	4.0	4.0	4.0	4.0	4.0	4.0	4.0	6.0	6.0	6.0	6.0
FG 314	**FG 698**	**FG 699**	**FG 700**	**FG 701**	**FG 702**			**FG 699L**	**FG 700L**	**FG 701L**	**FG 702L**
FG X 316			**FG X700**	**FG X701**	**FG X702**						
RA 204		**RA 669**	**RA 700**	**RA 701**	**RA 702**	**RA 703**	**RA 704**				
RA X 205				**RA X701**							



Round Cylinder, Plain Cut

ISO 500 ... 137 007	008	009	010	012	014	016
Working Length/mm	4.0	4.0	4.0	4.0	4.0	4.0
FG 314	**FG 1155**	**FG 1156**	**FG 1157**	**FG 1158**	**FG 1159**	**FG 1160**
FG S 313			**FG S1157**			




Round Taper, Plain Cut

ISO 500 ... 194 006	009	010	012	016
Working Length/mm	4.0	4.0	4.0	4.0
FG 314	**FG 1169**	**FG 1170**	**FG 1171**	**FG 1172**



Round Taper, Cross Cut

ISO 500 ... 194 007	012	016
Working Length	4.0	4.0
FG 314	**FG 1701**	**FG 1702**



Round Cylinder, Cross Cut

ISO 500 ... 137 007	009	010	012	014
Working Length/mm	4.0	4.0	4.0	4.0
FG 314	**FG 1556**	**FG 1557**	**FG 1558**	**FG 1559**
FG X 316		**FG X1557**	**FG X1558**	



Scaling to remove Tartar

6-side Perio

6-side Flame

ISO 500 ...	009	012
Working Length/mm	3.0	5.5
FG 314	**ET3**	**ET5**



Carving of tooth pattern (Morphology)

3 Slides

ISO 500 ... 468 ...	014
Working Length/mm	4.0
FG 314	**FG 468**



Shoulder Preparation End Cutting

ISO 500 ... 150 001	010	012
Working Length/mm	0.2	0.2
FG 314	**FG 957**	**FG 958**



Pear, Cross Cut

ISO 500 ... 237.008	010	012
Working Length/mm	2.0	2.2
FG 314	**FG 1931**	**FG 1932**




Round Cyliner, Cross Cut

ISO 500 ... 137.008	010	012
Working Length/mm	4.0	4.0
FG 314	**FG 1957**	**FG 1958**




Round Taper, Cross Cut

ISO 500 ... 107 008	010	012
Working Length/mm	4.0	4.0
FG 314	**FG 2057**	**FG 2058**




Round End Taper	151	X151	XL151	Bone Cutter	161	Bone Cutter	162	H253E	H254E




Flat End Taper , Cylinder	EC25	EC28	EC32	ES25	ES28	Round End Taper	152	X152	XL152


Trimming & Finishing Carbide Burs



Round	FG 7004	FG 7005	FG 7006	Flat End Taper	FG 7204	FG 7205	Pointed Taper	FG 7611	FG 7612



Egg	FG 7404	FG 7406	Flat End Taper	FG 7114	FG 7214	FG 7714	Round End Taper	FG 7675




8 - 12 Blades	Flame	FG 7901	FG 7902	FG 7903	FG 7903L

White Stone 白车石　Finish,Polish Filling Composite　去树脂，填充物及抛光。



FL2-Fw **CN1-Fw** **TC1-Fw** **CY2-Fw** **RD1-Fw** **RD2-Fw** **IC2-Fw**


FG Shank



FL2-Rw **CN1-Rw** **TC1-Rw** **CY2-Rw** **RD1-Rw** **RD2-Rw** **IC2-Rw**


RA Shank

Green Stone 绿车石　Grind Ceramics,Precious Metal　研磨烤瓷,贵金属等。



FL2-Fg **CN1-Fg** **TC1-Fg** **CY2-Fg** **RD1-Fg** **RD2-Fg**

FG Shank




FL2-Rg **CN1-Rg** **TC1-Rg** **CY2-Rg** **RD1-Rg** **RD2-Rg**

RA Shank

Diamond Stones 陶瓷金刚车石


Finish Zirconia, Lithium Disilicate,Ceramics . 研磨氧化锆、玻璃陶瓷、烤瓷。




DCF101 FG Shank | **DCF102** | **DCF122** | **DCR101** RA Shank | **DCR102** | **DCR122** | **DCR104** | **DCR105**

Diamond Rubber Polishers 橡胶金刚石抛光磨头


Universally used to polish Zirconia, Lithium Disilicate, Ceramics,Composite etc.
广泛的用于抛光氧化锆、玻璃陶瓷、烤瓷、树脂等。



Sr003M Blue , Medium | **Sr304M** | **Sr204CM** | **Sr101M** | **Sr103M** | **Sr105M** | **Sr106M**



Sr003F Red, Fine | **Sr304F** | **Sr204MF** | **Sr101F** | **Sr103F** | **Sr105F** | **Sr106F**



Sr003EF Yellow,Extra Fine | **Sr304EF** | **Sr204EF** | **Sr101EF** | **Sr103EF** | **Sr105EF** | **Sr106EF**




Sr003UF Light Grey,Ultra Fine | **Sr304UF** | **Sr204UF** | **Sr101UF** | **Sr103UF** | **Sr105UF** | **Sr106UF**

Cleaning Burs after debonding (脱胶后)洁牙磨头


Remove Calculus or Stains , No damage to the enamel.

3 pieces mixed



PC00C | PC02C | PC03C | PC00 | PC02 | PC03

4 Medium



BR101 | BR103 | BR104 | BR106

Silicon
矽粒子

25



SM103 | SM104 | SM106 | 53RS-2

Twin-Color Polishers for Composite

双色 . 树脂专用抛光磨头



Composite, Acrylic teeth's Polishing,
Polishing after remove Calculus or Stains , No damage to the enamel.
Polishing after remove the debonding






Item No.	12	Tr103C	Tr104C	Tr105C	Tr106C
Thickness (mm)		5 x 10.5mm	10 x 1 mm	10 x 2.0 (0.7) mm	6 x 8 mm






Item No.	12	Tr103M	Tr104M	Tr105M	Tr106M
Thickness (mm)		5 x 10.5mm	10 x 1 mm	10 x 2.0 (0.7) mm	6 x 8 mm






Item No.	12	Tr103F	Tr104F	Tr105F	Tr106F
Thickness (mm)		5 x 10.5mm	10 x 1 mm	10 x 2.0 (0.7) mm	6 x 8 mm

Silicon Polisher
For Ceramics
硅胶磨头
烤瓷抛光



White , Coarse	Cf101C	Cf103C	Cr101C	Cr103C	Cr104C	Cr105C	Cr106C	Cr108C

Silicon Polisher
For Ceramics
硅胶磨头
烤瓷抛光



Pink , Medium	Cf101M	Cf103M	Cr101M	Cr103M	Cr104M	Cr105M	Cr106M	Cr108M

Silicon Polisher
For Ceramics,Composite
硅胶磨头
烤瓷、树脂抛光



Blue, Fine	Cf101F	Cf103F	Cr101F	Cr103F	Cr104F	Cr105F	Cr106F	Cr108F

Silicon Polisher
For Metal, Alloy
硅胶磨头
金属、合金抛光



Black , Coarse	Af101C	Af103C	Ar101C	Ar103C	Ar104C	Ar105C	Ar106C	Ar108C

Silicon Polisher
For Metal, Alloy
硅胶磨头
金属、合金抛光



Brown , Medium	Af101M	Af103M	Ar101M	Ar103M	Ar104M	Ar105M	Ar106M	Ar108M

Silicon Polisher
For Metal,Alloy, Composite
硅胶磨头
金属、合金、树脂抛光



Fine , Light Grey	Af101F	Af103F	Ar101F	Ar103F	Ar104F	Ar105F	Ar106F	Ar108F

Silicon Polisher
For Composite
硅胶磨头
树脂抛光



Fine , Yellow	Rf101F	Rf103F	Rr101F	Rr103F	Rr104F	Rr105F	Rr106F	Rr108F

Polishing Brushes

Nature Material, No hurt to teeth
Final polishing composite,
nature teeth or Ceramics
天然毛质、不伤牙
适用于树脂、真牙、烤瓷等


Felt
毛毡

R1Ns


Leather
羊皮

R1Ry


Goat Hair
羊毛

R1G


Thread
白棉线

R1T

Polishing Brushes

Abrasive Fiber
磨料丝（含碳化硅
或氧化铝)

For Composite,
Ceramics


With Al. Oxide 氧化铝

R1Al



R4Al



R5Al



R7Al


With Silicon Carbide 碳化硅

R1SiC



R4SiC



R5SiC



R7SiC


White Bristle

R4Dw


White Nylon

R4Cw


Clear Nylon

R4Cc


Blue Nylon

R4Cb


Pink Nylon

R4Cr


Purple Nylon

R4Cp


Yellow Nylon

R4Cy


White Goat Hair

R4G


White Bristle

R7Dw


Clear Nylon

R7Cc


White Goat Hair


R7G


White Bristle


R5Dw


White Nylon

R5Cw


Clear Nylon

R5Cc


Blue Nylon


R5Cb


Pink Nylon

R5Cr


Purple Nylon

R5Cp


Yellow Nylon

R5cy


White Goat Hair

R5G


4 Angles, Soft

R01W


6 Angles, Hard

R02W

Mandrels
夹 针



31RS



31RSL



35RS



52RS



53RS




26RS



51R



No. 201
for FG burs * 15



No. 211
for 10*FG + 5*RA



No. 221
for 5*FG + 10*RA



No. 241
for RA burs *12

Alluminum Blocks, Sterilisable
铝制消毒盒



No. 202
for Root canal files * 18



No. 212
For HP burs * 18



No. 015A
for 18*FG



No. 015C
for 12*FG + 6*RA



No. 015E
for 18*RA



No. 015D
for 20*FG + 10*RA



No. 013E
for 16*FG + 9*RA



No. 022D
for 18*RA



No. 016B
for 8*HP

Plastic Blocks,Sterilisable
塑料消毒盒




No. 023
132 * 107 * 65 mm
for FG, RA, HP, Files Mixed

KIT 套装

Provide kinds of kits for clinic use , which offer the smartest operation ;
Whatever for Ceramics, Zirconia , Lithium Disilicate, Composite,Metal or Alloy ;
From Preparation to Final polishing ;
High Efficiency to shining, No need Glaze after polishing .






BR1901

BR-49,BR-45,BR-46,BR-41,BR-40,
BR-31,BR-28,BR-26,BR-25,BR-23 .

Diamond burs of Ball shape Assorted in FG shank
圆球状金刚石车针混装(高速)



BR1902

BR-X45, BR-X46, BR-X41, BR-X40, BR-X31,
BR-X40S, BR-X31S, BR-X41C, BR-X40C, BR-X31C


Diamond burs of Ball shape Assorted in FG LONG
圆球状金刚石车针混装(高速加长)



BR1903

BR-R46, BR-R41, BR-R40, BR-R31, BR-R26,
BR-R40F, BR-R31F, BR-R26F, BR-R40EF, BR-R26EF


Diamond burs of Ball shape Assorted in RA shank
圆球状金刚石车针混装(低速)



4100

508T-014S,BR-41,198-016S,508T-016S, 508T-016F ;
508T-014S,BR-S40,198-021S,508T-021S,508T-021F


Safe End Diamond Preparation
前后牙预备(安全端金刚车针)



4101

TF-21, TF-10, TF-12, TC-10, WR-13
SR-11, TR-11, EX-18, TR-12F, TC-11F

Crown & Bridge Preparation for Anterior
前牙桥体/冠体预备



4102

EX-20S, SR-21, FO-34, TR-62C, TR-21
TR-24, SO-21, EX-18, TR-21F, EX-21F


Crown & Bridge Preparation for Posterior
后牙桥体/冠体预备



1804IV

SI-45 x 2 ; SI-46 x 3,
SI-47 x 3 , SI-48 x 2 .


Diamond burs of Inverted Cone Assorted in FG shank
常用倒锥金刚石车针混装(高速)



1805TA

TR-11 x 2, TR-12 x 2, TF-11 x 2 ;
TF-12, TC-10, TC-27, TC-28 x 1


Regular Diamond burs of Taper Assorted in FG shank
常用锥形金刚石车针混装 (高速)



1806

TC-11EF , 820-016EF, 820-031F,
820-016F, TC-10F


Interproximal Enamel Reduction (IPR) for Ortho
邻面去釉套装



4103

BR-45, BR-40, BC-32,EX-31
TF-20, SF-41, SF-21, SI-48


Cavity Preparation, Restoratives
备洞



4104

SI-48, DI-42, TF-31, TF-22, SF-21
EX-18, TF-21F, SF-21F, FO-22EF, EX-21EF

Inlay & Onlay Preparation
嵌体/高嵌体预备



4105

BR-49, SF-41, SR-41, TC-26, CR-41
EX-41, FO-40EF / FG1/4, FG1/2, FG 1

Micro Invasive Surgery
微创备牙



6000

BR-45,VP-20,VP-21,VP-22,
SR-41,TR-25,SO-20,TR-13F,Cf101F

Porcelain Veneers' Preparation
瓷贴面备牙套装



6002

CD-50F, CD-51F, CD-52F, CD-53F, CD-54F
CD-55F, CD-56F, CD-57F, CD-58F, CD-59F


Children's Teeth Preparation
儿牙预备



4106

BR-40EF, TC-11EF, TF-11EF, TF-12EF, TR-11EF,
EX-21EF, FO-40EF, FO-21EF, FO-22EF, FO-30EF


Ceramics / Composite Polishing
烤瓷牙/复合树脂抛光



FG008D

BR-49, BR-49,SI-49, SF-49, TF-49

Student or Beginner's Diamond FG 0.8mm
新手入门金刚石车针,高速



FG009D

001-009M, 001-009M, 010-009M,
109-009M,170-009M

Student or Beginner's Diamond FG 0.9mm
新手入门金刚石车针,高速



RA008D

BR-R49, BR-R49,SI-R49, SF-R49, TF-R49

Student or Beginner's Diamond RA 0.8mm
新手入门金刚石车针,慢速



RA009D

001-R009M, 001-R009M, 010-R009M,
109-R009M,170-R009M


Student or Beginner's Diamond RA 0.9mm
新手入门金刚石车针,慢速



TF7100

7004, 7404, 7214, 7714, 7903L


TC Trimming & Finishing burs, FG
钨钢精修车针,FG



1900 T

FG 1 , FG 2, FG 3, FG 4, FG 5


Tungsten carbide burs of Ball shape Assorted in FG shank
圆球状钨钢车针混装(高速)



FG008T

FG 1 , FG 1, FG 34, FG555, FG698

Tungsten Carbide of FG shank 0.8mm for Students
初学者用的钨钢车针（头径0.8mm,高速）



RA008T

RA 1 , RA 1, RA 34, RA 555, RA 698

Tungsten Carbide of RA shank 0.8mm for Students
初学者用的钨钢车针（头径0.8mm,低速）



7109FW

FL2-Fw, CN1-Fw, RD1-Fw, RD2-Fw, TC1-Fw,

FG White Stone Burs, to Finish Composite
白车石,高速



7109RW

FL2-Rw, CN1-Rw, RD1-Rw, RD2-Rw, TC1-Rw,

RA White Stone Burs, to Finish Composite
白车石,低速



7109FG

FL2-Fg, CN1-Fg, RD1-Fg, RD2-Fg, TC1-Fg,

FG Green Stone burs, Finish Ceramics
绿车石,高速



7109RG

FL2-Rg, CN1-Rg, RD1-Rg, RD2-Rg, TC1-Rg,

RA Green Stone burs, Finish Ceramics
绿车石,低速



1906

Cr103C x 2,Cr 104C, Cr106C; , Cr103M, Cr104M;
R4AL, R5AL ; R4Cb, R5Cb, R4Cr , R5Cr

Composite Finish and Polish RA
树脂成型和抛光,弯机柄



1907

Cr103C,Cr 104C, Cr106C ;Cr103M, Cr104M, Cr106M,
R4AL, R1AL,R5AL; R1Ry, R1G, R1T

Composite Finish and Polish RA
树脂成型和抛光,弯机柄



QR2101

2 step : Sr003F : Pro-Polishing
Sr003UF: Polishing

Composite Polish, RA
树脂抛光,弯机柄



QR2102

2 step : Sr304F : Pro-Polishing
Sr304UF, Sr003UF: Polishing

Composite Polish, RA
树脂抛光,弯机柄



QR2103

3 step : Sr304CM: Smooth;
Sr003F : Pro-Polishing ; Sr003UF: Polishing

Composite Polish, RA
树脂抛光,弯机柄



QR2104

3 step : Sr003M:Smooth ;
Sr003F : Pro-Polishing ; Sr003UF x 2: Polishing

Composite Polish, RA
树脂抛光,弯机柄



CP 6011

2 Step : Sr 204 M x 3: Pro-polish;
Sr 204 F x 3 : Polish

Composite,Ceramic, Zirconia Polishers . RA
树脂、烤瓷、氧化锆抛光



CP 6001

3 Step: Sr 204 C x 2 : Smooth;
Sr 204 M x 2 : Pro-polish ; Fine : Sr 204 F x 2: Polish

Composite,Ceramic, Zirconia Polishers . RA
树脂、烤瓷、氧化锆抛光



7115

Smooth : DCR101 , DCR102, DCR122,DCR105
Pro-polish:Sr101F, Sr103F, Sr105F, Sr106F
Polish: Sr101UF, Sr103UF, Sr105UF, Sr10UEF

Diamond stones & polishers for Zirconia / Lithium Disilicate , 氧化锆,玻璃陶瓷研磨抛光



1904

X151, XL151, EC25, EC28, FG X6,
EX-28, BR-X31, TR-X12, TR-X15, TF-X13

Extraction Burs
拔阻生齿车针



1905

FG X2, FG X4, FG X6, FG X558, FG X701,
BR-X41, BR-X40, BR-X31, TF-X12, TR-X12

Oral Surgery burs FG Long
手术车针(高速加长)



4110V

Smooth: Rw01,Rw02 x 2
Pro-polish:Cr101M, Cr103M,Cr104M,Cr106M,
Polish:Cr101F, Cr103F,Cr104F,Cr106F

Composite Finish and Polish RA
树脂成型和抛光,弯机柄



4112

Smooth: Cr101C, Cr103C, Cr104C, Cr106C
Pro-polish :Cr101M, Cr103M, Cr104M, Cr106M
Polish: Cr101F, Cr103F, Cr104F, Cr106F

Porcelain / Natural Teeth Polishing RA
烤瓷牙,自然牙抛光,弯机柄



4114

Smooth : Ar101C, Ar103C, Ar104C, Ar106C
Pro-polish :Ar101M, Ar103M, Ar104M, Ar106M
Polish: Ar101F, Ar103F, Ar104F, Ar106F

Amalgam / Metal Polishing RA
银汞合金,金属抛光,弯机柄



4115

Smooth : Sr103M, Sr105M, Sr106M ; Pro-polish :Sr103F, Sr105F, Sr106F
Polish: Sr101EF, Sr103EF, Sr105EF, Sr106EF,
Final Polish: Sr101UF, Sr103UF


Diamond Polishers for Zirconia /Lithium Disilicate
氧化锆,玻璃陶瓷抛光,弯机柄

Crown & Bridge Preparation for Anterior
前牙桥体/冠体预备



4101A

TF-21, TF-10, TF-12 x 2, WR-13, TC-21,
TR-11, TC-10/ EX-18, SR-11/ TR-12F, TC-11F




Crown & Bridge Preparation for Posterior
后牙桥体/冠体预备



4102A

EX-11,EX-20S, TR-22S,BR-31C,TR-62C,FO-34/
TR-24, TR-21/ EX-18, SO-21/EX-21F, TR-21F




Cavity Preparation, Restoratives
备洞



4103A

BR-45, BR-40, BR-46, BR-31, BR-41/ BC-32,
SI-47, SI-48/ SF-41, SF-21/ EX-31, TF-20




Inlay/Onlay Preparation
嵌体/高嵌体预备



4104A

DI-42 , SI-48 , TF-22, TF-31 / TF-21F, SF-21F /
TF-21, SF-21 , EX-18 , BC-32 / EX-21EF , FO-22EF




Porcelain Veneer's Preparation
瓷贴面备牙



6000A

SR-41 , BR-45 / VP-20 x 2, VP-21 x 2, VP-22 x 2/
SO-20, TR-25, TR-13F, TC-28EF




Trimming & Finishing Tungsten
Carbide burs FG 钨钢精修车针



6003A

7004, 7005, 7006, 7404, 7406, 7114 ,
7214, 7714,7901, 7902, 7903, 7903L




Zirconia, Lithium Disilicate Polishing kit,RA
氧化锆,玻璃陶瓷抛光(低速)



7115A

Smooth : DCR101 , DCR102, DCR122,DCR105 ; Pro-polish:Sr101F, Sr103F, Sr105F, Sr106F
Polish: Sr101UF, Sr103UF, Sr105UF, Sr106UEF




Zirconia, Lithium Disilicate High Gloss polishing kit,RA
氧化锆抛光(低速)



4115A

Smooth : Sr103M, Sr105M, Sr106M ; Pro-polish :Sr103F, Sr105F, Sr106F
Polish: Sr101EF, Sr103EF, Sr105EF, Sr106EF, Final Polish: Sr101UF, Sr103UF




Composite or filling material Polisher RA
美学树脂、填充材料抛光



CP6001A

3 Step: Sr 204 C x 2 : Smooth;
Sr 204 M x 2 : Pro-polish ; Fine : Sr 204 F x 2: Polish




Composite Polishing kit , RA
树脂抛光套装(低速)



4110A2

Smooth: FL2-Rwx 2 , CN1-Rw x 2; Pro-polish:Cr101M, Cr103M,Cr104M,Cr106M,
Polish:Cr101F, Cr103F,Cr104F,Cr106F



Ceramics / Porcelain Teeth Polish , RA
烤瓷牙抛光(低速)



4112A

Smooth: Cr101C, Cr103C, Cr104C, Cr106C
Pro-polish :Cr101M, Cr103M, Cr104M, Cr106M
Polish: Cr101F, Cr103F, Cr104F, Cr106F



Amalgam, Alloy, Metal Polish , RA
银汞合金抛光(低速)




4114A

Smooth : Ar101C, Ar103C, Ar104C, Ar106C
Pro-polish :Ar101M, Ar103M, Ar104M, Ar106M
Polish: Ar101F, Ar103F, Ar104F, Ar106F




Micro Invasive Surgery Burs
微创手术用车针



4105A

BR-49 x 2, SR-41 x 2, SF-41, EX-41, TC-26,
CR-41, FG1/4, FG1/2, FG 1, FO-40EF

Extra Fine Diamond burs for polishing
特细粒度金刚砂抛光车针,高速



4106A

CR-11EF, BR-40EF, TC-27EF, TC-11EF, TF-12EF, TF-11EF,
FO-40EF, TR-11EF,FO-22EF,FO-21EF, FO-30EF, EX-21EF

Composite, Ceramics Finishing kit , FG
树脂成型(高速)



0302A

FL2-Fw x 3 ; CN1-Fw x 3
FL2-Fg x 3 ; CN1-Fg x 3

Composite , Ceramics Finishing kit , RA
树脂成型(低速)



0306A

FL2-Rw x 3 ; CN1-Rw x 3
FL2-Rg x 3 ; CN1-Rg x 3

White Stone Burs kit , FG
白车石(高速)



302F1

FL2-Fw x 2 , CN1-Fw x 2 , RD1-Fw x 2
RD2-Fw x 2 , TC1-Fw x 2 , IC2-Fw x 2

White Stone Burs kit , RA
白车石(低速)



306R1

FL2-Rw x 2 , FL3-Rw x 2, CN1-Rw x 2,
RD1-Rw x 2 , RD2-Rw x 2 , TC1-Rw x 2 .

HP Kit to adjust Zirconia
氧化锆修整椅旁套装(HP)



Z31

ZF33 , DY001EF to Smoothing
D203F for Pre-polishing ; D203EF for Polishing

HP Kit to adjust Lithium Disilicate
玻璃陶瓷修整椅旁套装(HP)



L31

ZF33 , DY001EF to Smoothing
D203F for Pre-polishing ; D203UF for Polishing

Samples Collection For Clinic Items

样品册



Flip-Cart Plastic Pages ;
Smart, Easily fill all burs ;
Economic and Recyclable ;
Nice-looking for showing to Customers;
Convenient to take to anywhere .



No. 170B5

Empty Collection Wallet
样品本(不带车针)



4 Colors Available ,
100 holes per page,
5 pages per set,
Smart to FG or RA Burs



No. 1701D

Diamond Burs Collection Wallet
金刚石车针样品本



More than 300 specification ,
Diamond burs ,
FG, FG XL, FG 2XL,
FG Short, RA, RA Long



No. 1702T

Tungsten Carbide Collection Wallet
钨钢车针样品本



Nearly 200 specification ,
TC burs
FG, FG XL,FG Short, RA, RA Long
T & F Gold, Endo z etc.



No. 1703P

Polishing burs Collection Wallet
抛光器械样品本



Nearly 150 specifications ,
Silicon Rubber burs,
Diamond Abrasives & polishers,
Polishing brushes etc



Four Colors Available	Brown	Black	Blue	Yellow









Laboratory Part
技工类
Page 33-66　第33-66页



Diamond bur 金刚石磨头
Page 34-35　第34-35页

Fully-sintered Diamond bur
全砂烧结磨头
Page 36-37　第36-37页

Sintered Diamond Disc
Diamond Disc
烧结切片、金刚石切片
Page 38-40　第38-40页

CAD / CAM Milling Bur
铣刀
Page 41-43　第41-43页

Tungsten Carbide bur
钨钢车针
Page 44-47　第44-47页

Diamond Stones & Polisher
陶瓷(橡胶）结合剂金刚石磨头
(全瓷、全锆磨头)
Page 48-52　第48-52页

Silicon Polisher
硅胶抛光磨头
Page 53-54　第53-54页

Mounted stone, Sandpaper
车石、砂纸棒
Page 55　第55页

Polishing Brushes, Felt burs
Mandrels
抛光刷、毛毡磨头、夹针
Page 56-58　第56-58页

Hard Z Cutter etc .
硬锆磨头等
Page 59　第59页

Kit 套装
Page 60-62　第60-62页


Samples Collection
样品册
Page 63　第63页

FlexSoft Partial Denture
隐形义齿胶
Page 64　第64页

Diamond Bur HP
(Electroplated)
金刚石磨头 (电镀)




Sharp and Durable,
Grind or polish Ceramics
锋利、耐用
磨削平稳、不偏摆
不留黑印、适合车瓷,



Grit

- Black /Super Coarse
- Green /Coarse
- Blue / Medium
- Red /Fine


Fine Red 细砂 红圈



编号 No.	FD30	FK33	FA23	FA33	FC18	FC25	FM27	FL33	FN23	FP33


This grit can grind Zirconia 可用来车氧化锆

Medium Blue 标准砂 蓝圈




FQ23	FU40	编号 No.	MD10	MD14	MD18	MD23	MD27	MD35	MD40	MK16

Round /圆球 Inverted Cone




MK21	MK27	MK37	MK47	MK60	MK80	MK100	MT60	MJ60	MA16	MA23

Wheel /平轮 Cylinder /平柱




MA33	MA50	MC18	MC25	MC30	MC40	MM12	MM18	MM27	MM37	MM50

Round Cylinder /圆头柱 Needle /尖针




MB12	MB16	MB21	MB31	MB40	ML16	ML23	ML33	ML40	ML50	MN18


Taper /平锥 Round Taper /圆头锥 Inverted Cone








Transparent Showing plates
展示台 120x120x8mm



No. 1216

7 x 7 holes
1.60mm, for FG burs



No. 1223

7 x 7 holes
2.35mm, for RA or HP burs.


Fully-Sintered Diamond Bur . HP

全砂烧结磨头



Extremely Durable,
Grind or polish smoothly
Especial for Metal

从里到外都是砂
平稳、耐用，适合车金



Grit

- Black/Super Coarse
- Green/Coarse
- Blue/Medium
- Red/Fine
- Yellow/Extra Fine

Super Coarse Black 特粗砂 黑 圈

编号 No.	D060S	D070S	K080S	K100S	J070S	J100S	A050S	A060S	C050S	C060S
	001 6.0 6.0	7.0 7.0	012 8.0 6.0	10.0 5.0	068 7.0 3.0	10.0 5.0	112 5.0 12.0	6.0 13.0	141 5.0 12.0	6.0 13.0

C070S	M050S	M070S	B050S	B070S	L050S	L060S	L070S	G060S	F050S	F070S
7.0 13.0	161 5.0 13.0	7.0 13.0	172 5.0 12.0	7.0 13.0	198 5.0 12.0	6.0 13.0	7.0 13.0	257 6.0 13.0	274 5.0 13.0	7.0 13.0


R050S	R070S	D050C	D060C	J060C	J070C	A037C	A050C	A060C	C037C
368 5.0 13.0	7.0 13.0	001 5.0 5.0	6.0 6.0	068 6.0 3.0	7.0 3.0	112 3.7 10.0	5.0 12.0	6.0 12.0	141 3.7 10.0


Coarse Green 粗砂 绿圈

C050C	C060C	B037C	B050C	B060C	L037C	L050C	L060C	N050C	G050C	F037C
5.0 12.0	6.0 13.0	172 3.7 10.0	5.0 12.0	7.0 13.0	198 3.7 10.0	5.0 12.0	6.0 13.0	227 5.0 12.0	257 5.0 13.0	274 3.7 10.0


F050C	R037C	R050C	D031	D037	D050	D060	K031	K037	K050
5.0 13.0	3.7 10.0	5.0 13.0	001 3.1 3.1	3.7 3.7	5.0 5.0	6.0 6.0	012 3.1 5.0	3.7 5.0	5.0 4.0

Medium Blue 标准砂 蓝 圈






Fine
Red
细 砂
红 圈





Extra Fine
Yellow
特细砂
黄 圈






Sintered Diamond Disc

烧结切割片

Grinding or Trimming of sintered Zirconia or any other Extra hard workpiece

用于切割烧结后的氧化锆或者各种超硬材质工件.



The galvanically sintered edge of the diamond discs offers excellent cutting performance.

提供三种不同粒度的砂粒，供您试用.



70 µm

Item No.	1	S394/190/0.25mm	S394/220/0.25mm	S394/190/0.30mm	S394/220/0.30mm
Size (mm)		19 x 0.25mm	22 x 0.25mm	19 x 0.3mm	22 x 0.3mm



60 µm

Item No.	1	S395/190/0.25mm	S395/220/0.25mm	S395/190/0.30mm	S395/220/0.30mm
Size (mm)		19 x 0.25mm	22 x 0.25mm	19 x 0.3mm	22 x 0.3mm




40 µm

Item No.	1	S396/190/0.25mm	S396/220/0.25mm	S396/190/0.30mm	S396/220/0.30mm
Size (mm)		19 x 0.25mm	22 x 0.25mm	19 x 0.3mm	22 x 0.3mm

Diamond Disc


金刚石切片



How to order these Discs:

A 22 D 20

- **shape** — A, Am,B, Bm, C,Cm;D, etc
- **Diameter** — 13, 16, 19, 22mm; 30, 35, 40, 45mm.
- **Coating Sides** — Double coated (D); Mono Coated(S).
- **Height** — 0.15,0.2,0.3mm; 0.4, 0.45mm




Extra Thin,0.15mm
Double sided
Extra Fine
超薄,双面砂



编号 No.	A19D15	A22D15	Am13D15	Am16D15	Am19D15	Am22D15

Thin,0.20 x 19mm
Double sided
Fine Grit
较薄,双面砂




编号 No.	A19D20	B19D20	C19D20	N19D20	Am19D20	Bm19D20	Em19D20	Hm19D20

Thin,0.20 x 22mm
Double sided
Fine Grit
较薄,双面砂




编号 No.	Am22D20	Bm22D20	Cm22D20	Em22D20	Im22D20	Jm22D20	Hm22D20




A22D20	B22D20	C22D20	E22D20	F22D20	H22D20	J22D20	N22D20


Hard,0.3 - 0.4mm
Double sided
Medium Grit
厚硬,双面砂



编号 No.	Am19D30	Am22D30	Am22D40	A19D40	A22D40
	19.0 x 0.3 mm	22.0 x 0.3 mm	22.0 x 0.4 mm	19.0 x 0.4 mm	22.0 x 0.4 mm





Single-sided
仅单面镀砂





编号 No.	A22S20	Am22S20	Am22S30
	22.0 x 0.2 mm,Fine	22.0 x 0.2 mm	22.0 x 0.3 mm, Medium

Fast Cutting
Plaster Disc ,
0.3mm,
Double sided
石膏模切片
平整、无偏摆












编号 No.	C30D30	A35D30	C35D30	J35D30









A40D30	C40D30	J40D30








Cb45D30	Ab45D30	Ch85D30

CAD / CAM Milling Burs for Lithium Disilicate
铣刀(加工玻璃陶瓷)



D1 : Cutting Edge Diameter (.mm) L1 : Cutting Edge Length (.mm)
D2 : Shank Diameter (.mm) L2 : Free Grinding to(.mm)
L3 : Total Length (.mm)

Article No	Coating	D1	L1	L2	L 3	D2
for Roland 00						
RL-00-06-ED	Dia.	0.6/1.5	9.0	—	40	3.0
RL-00-10-ED	Dia.	1.0	6.0	—	40	3.0
RL-00-25-ED	Dia.	2.5	15.0	—	40	3.0

Article No	Coating	D1	L1	L2	L 3	D2
for Amann Girrbach 00						
AG-00-04-ED	Dia.	0.4	6.5	—	43	3.0
AG-00-10-ED	Dia.	1.0	14.0	—	43	3.0
AG-00-14-ED	Dia.	1.4	14.0	—	43	3.0
AG-00-18-ED	Dia.	1.8	14.0	—	43	3.0

Article No	Coating	D1	L1	L2	L 3	D2
for VHF						
VH-00-06-ED	Dia.	0.6	6.0	—	35	3.0
VH-00-10-ED	Dia.	1.0	9.0	—	35	3.0
VH-00-25-ED	Dia.	2.5	16.0	—	35	3.0

Article No	Coating	D1	L1	L2	L 3	D2
for Imes-Icore 350, 550, 750						
II-75-06-ED	Dia.	0.6	10.0	—	40	6.0
II-75-10-ED	Dia.	1.0	10.0	—	40	6.0
II-75-25-ED	Dia.	2.5	15.0	—	40	6.0

Article No	Coating	D1	L1	L2	L 3	D2
for Imes-Icore 240 , 250						
II-24-06-ED	Dia.	0.6	10.0	—	43	3.0
II-24-10-ED	Dia.	1.0	10.0	—	45	3.0
II-24-25-ED	Dia.	2.5	15.0	—	42	3.0

Article No	Coating	D1	L1	L2	L 3	D2
for Sirona MC X5						
SR-X5-06-ED	Dia.	0.6	14.5	—	34.5	3.0
SR-X5-12-ED	Dia.	1.2	12.5	—	36.5	3.0
SR-X5-14-ED	Dia.	1.4	14.5	—	35.5	3.0
SR-X5-22-ED	Dia.	2.2	15.5	—	37.5	3.0

Article No	Coating	D1	L1	L2	L 3	D2
for Sirona MC XL						
			Cylinder Pointed Bur 12S			
SR-XL-C12S-ED	Dia.	—	13.7	—	38	3.5
			Step Bur 12S			
SR-XL-S12S-ED	Dia.	—	13.7	—	38	3.5
			Step Bur 12			
SR-XL-S12-ED	Dia.	—	13.2	—	38	3.5

Article No	Coating	D1	L1	L2	L 3	D2
for Sirona MC XL						
			Cylinder Pointed Bur 12EF			
SR-XL-CP12EF-ED	Dia.	—	19.0	—	40	3.5
			Cylinder Bur 12EF			
SR-XL-C12EF-ED	Dia.	—	19.0	—	40	3.5

Article No	Coating	D1	L1	L2	L 3	D2
for Sirona MC XL						
			Cylinder Pointed Bur 20			
SR-XL-C20-ED	Dia.	—	21.5	—	46	3.5
			Step Bur 20			
SR-XL-S20-ED	Dia.	—	22.0	—	46.3	3.5

Article No	Coating	D1	L1	L2	L 3	D2
for Sirona Cerec 3						
			Cylinder Pointed Bur			
SR-C3-CP-ED	Dia.	—	9.3	—	23.5	1.8
			Step Bur 12			
SR-C3-12S-ED	Dia.	—	13.2	—	25.2	1.8
			Step Bur 10			
SR-C3-10S-ED	Dia.	—	11.5	—	23.3	1.8

Article No	Coating	D1	L1	L2	L 3	D2
for Dentium						
DT-00-06-ED	Dia.	0.6	19.8	—	50	6.0
DT-00-10-ED	Dia.	1.0	19.8	—	50	6.0
DT-00-20-ED	Dia.	2.0	19.8	—	50	6.0

Article No	Coating	D1	L1	L2	L 3	D2
for Dentium						
DT-01-10-ED	Dia.	1.0	10.0	—	45	3.0
DT-01-20-ED	Dia.	2.0	12.0	—	45	3.0


Article No	Coating					
for Arum						
AR-00-10-ED	Dia.	1.0	10.5	—	50	6.0
AR-00-15-ED	Dia.	1.5	12.5	—	50	6.0
AR-00-20-ED	Dia.	2.0	12.5	—	50	6.0
AR-00-25-ED	Dia.	2.5	12.5	—	50	6.0

Article No	Coating	D1	L1	L2	L 3	D2
for Arum 400						
AR-01-06-ED	Dia.	0.6	12.5	—	41	4.0
AR-01-10-ED	Dia.	1.0	16.0	—	44.5	4.0
AR-01-15-ED	Dia.	1.5	16.0	—	44.5	4.0
AR-01-25-ED	Dia.	2.5	16.0	—	44.5	4.0

CAD / CAM Milling Burs.

铣刀






D1 : Cutting Edge Diameter (.mm)
D2 : Shank Diameter (.mm)
L1 : Cutting Edge Length (.mm)
L2 : Free Grinding to(.mm)
L3 : Total Length (.mm)

Coating

CrN : for PMMA
AL: for Metal
NC : for Zirconia
DC : for Zirconia, More Durable.



Article No	Coating	D1	L1	L2	L 3	D2
for Roland 50						
RL-50-03-NC	NC	0.3	1.5	6.0	50.0	4.0
RL-50-06-CRN	CRN	0.6	1.5	6.0	50.0	4.0
RL-50-06-NC	NC					
RL-50-10A-CRN	CRN	1.0	3.5	16.0	50.0	4.0
RL-50-10A-NC	NC					
RL-50-20A-CRN	CRN	2.0	6.0	16.0	50.0	4.0
RL-50-20A-NC	NC					
RL-50-20A-DC	DC					
RL-50-10B-CRN	CRN	1.0	3.5	20.0	50.0	4.0
RL-50-10B-NC	NC					
RL-50-20B-CRN	CRN	2.0	6.0	25.0	52.0	4.0
RL-50-20B-NC	NC					
RL-50-20B-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for 3 M ESPE LAVA						
LV-00-10-CRN	CRN	1.0	3.5	16.0	38.0	3.0
LV-00-10-NC	NC					
LV-00-20-CRN	CRN	2.0	6.0	16.0	38.0	3.0
LV-00-20-NC	NC					
LV-00-20-DC	DC					
LV-01-10-CRN	CRN	1.0	2.0	25.0	50.0	3.0
LV-01-10-NC	NC					
LV-01-20-CRN	CRN	2.0	2.0	25.0	50.0	3.0
LV-01-20-NC	NC					
LV-01-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for RK						
RK-00-10-DC	DC	1.0	3.5	16.0	47.0	3.0
RK-00-20-DC	DC	2.0	3.5	16.0	47.0	3.0

Article No	Coating	D1	L1	L2	L 3	D2
for Imes-Icore 240, 250						
II-24-06-CRN	CrN	0.6	1.5	10.0	48.0	3.0
II-24-06-NC	NC					
II-24-10-CRN	CrN	1.0	5.0	14.0	48.0	3.0
II-24-10-NC	NC					
II-24-25-CRN	CrN	2.5	8.0	20.0	48.0	3.0
II-24-25-NC	NC					
II-24-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Imes-Icore 350, 550, 750						
II-75-06-CRN	CrN	0.6	2.5	12.0	53.0	6.0
II-75-06-NC	NC					
II-75-10-CRN	CrN	1.0	6.0	14.0	53.0	6.0
II-75-10-NC	NC					
II-75-25-CRN	CrN	2.5	10.0	20.0	53.0	6.0
II-75-25-NC	NC					
II-75-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Amann Girrbach						
AG-00-06-CRN	CrN	0.6	1.5	13.0	47.0	3.0
AG-00-06-NC	NC					
AG-00-10-CRN	CrN	1.0	3.5	16.0	47.0	3.0
AG-00-10-NC	NC					
AG-00-25-CRN	CrN	2.5	5.0	16.0	47.0	3.0
AG-00-25-NC	NC					
AG-00-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Amann Girrbach - Metal mill						
AG-01-10-AL	Alnova	1.0	5.0	7.0	43.0	3.0
AG-01-20-AL	Alnova	2.0	5.0	7.0	43.0	3.0


Article No	Coating	D1	L1	L2	L3	D2
for VHF K1, K4						
VH-K4-06-CRN	CRN	0.6	2.0	7.0	35.0	3.0
VH-K4-06-NC	NC					
VH-K4-10-CRN	CRN	1.0	3.5	16.0	35.0	3.0
VH-K4-10-NC	NC					
VH-K4-20-CRN	CRN	2.0	5.0	16.0	35.0	3.0
VH-K4-20-NC	NC					

Article No	Coating	D1	L1	L2	L3	D2
for VHF K5						
VH-K5-03-NC	CRN	0.3	1.2	13.0	40.0	3.0
VH-K5-06-CRN	CRN	0.6	1.5	7.0	40.0	3.0
VH-K5-06-NC	NC					
VH-K5-10-CRN	CRN	1.0	3.5	14.0	40.0	3.0
VH-K5-10-NC	NC					
VH-K5-20-CRN	CRN	2.0	4.5	16.0	40.0	3.0
VH-K5-20-NC	NC					
VH-K5-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Dentium						
DT-00-10-NC	NC	1.0	3.5	16.0	50.0	6.0
DT-00-20-NC	NC	2.0	3.5	16.0	50.0	6.0
DT-00-20-DC	DC					
for Dentium						
DT-01-05-NC	NC	0.5	2.0	8.0	43.0	3.0
DT-01-10-CrN	CrN	1.0	3.5	16.0	50.0	3.0
DT-01-10-NC	NC					
DT-01-20-CrN	CrN	2.0	3.5	18.0	50.0	3.0
DT-01-20-NC	NC					
DT-01-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Zirkon Zahn M3						
						
ZZ-03-05-CRN	CrN	0.5	1.5	6.0	57.0	3.0
ZZ-03-05-NC	NC					
						
ZZ-03-10-CRN	CrN	1.0	6.0	12.0	57.0	3.0
ZZ-03-10-NC	NC					
						
ZZ-03-20-CRN	CrN	2.0	10.0	18.0	57.0	3.0
ZZ-03-20-NC	NC					
ZZ-03-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Zirkon Zahn M5, M6, etc						
						
ZZ-06-05-NC	NC	0.5	1.5	3.0	50.0	6.0
						
ZZ-06-10-NC	NC	1.0	6.0	12.0	50.0	6.0
						
ZZ-06-20-NC	NC	2.0	10.0	18.0	50.0	6.0
ZZ-06-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Sirona MX 5						
						
SR-MX-05-NC	NC	0.5	1.5	5.0	42.0	3.0
						
SR-MX-10-NC	NC	1.0	4.5	18.0	43.0	3.0
						
SR-MX-25-NC	NC	2.5	7.0	25.0	43.0	3.0
SR-MX-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Cercon						
						
CC-00-05-NC	NC	0.5	2.0	10.0	55.0	3.5
						
CC-00-10-NC	NC	1.0	8.0	30.0	55.0	3.5
						
CC-00-20-NC	NC	2.0	10.0	30.0	55.0	3.5

Article No	Coating	D1	L1	L2	L3	D2
for Arum						
						
AR-00-10-CrN	CrN	1.0	2.0	16.0	55.0	6.0
AR-00-10-NC	NC					
						
AR-00-20-CrN	CrN	2.0	6.0	20.0	55.0	6.0
AR-00-20-NC	NC					
AR-00-20-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Wieland Mini						
						
WL-MI-07-CRN	CrN	0.7	1.5	7.0	35.0	3.0
WL-MI-07-NC	NC					
						
WL-MI-10-CRN	CrN	1.0	3.5	16.0	35.0	3.0
WL-MI-10-NC	NC					
						
WL-MI-25-CRN	CrN	2.5	3.5	20.0	35.0	3.0
WL-MI-25-NC	NC					

Article No	Coating	D1	L1	L2	L3	D2
for Wieland S1						
						
WL-S1-07-CRN	CrN	0.7	1.5	7.0	40.0	3.0
WL-S1-07-NC	NC					
						
WL-S1-10-CRN	CrN	1.0	3.5	16.0	40.0	3.0
WL-S1-10-NC	NC					
						
WL-S1-25-CRN	CrN	2.5	5.0	20.0	40.0	3.0
WL-S1-25-NC	NC					
WL-S1-25-DC	DC					

Article No	Coating	D1	L1	L2	L3	D2
for Kavo						
						
KA-00-10-DC	DC	1.0	2.0	16.0	53.0	6.0
						
KA-00-20-DC	DC	2.0	6.0	19.5	53.0	6.0

Article No	Coating	D1	L1	L2	L3	D2
for Yena						
						
YN-00-10-NC	NC	1.0	3.5	16.0	45.0	4.0
						
YN-00-20-NC	NC	2.0	3.5	16.0	45.0	4.0
YN-00-20-DC	DC					


Article No	Coating	D1	L1	L2	L3	D2
for Arum - Metal Mill						
						
AR-01-10-AL	Alnova	1.0	2.0	10.0	50.0	6.0
						
AR-01-15-AL	Alnova	1.5	3.0	10.0	50.0	6.0
						
AR-01-20-AL	Alnova	2.0	4.0	12.0	50.0	6.0
						
AR-01-30-AL	Alnova	3.0	6.0	12.0	50.0	6.0

Tungsten Carbide Burs . HP
钨 钢 车 针




Shape


- SI, ISO 001, Round
- S2, ISO 002, Inverted cone
- S21,S31, ISO 107, Cylinder
- S33,ISO 168, Taper
- S31R, ISO 137, Round, Cylinder




编号 No.	1005	1006	1007	1008	1009	1010	1012	1014	1016	1018
参考号 Ref.	HP1/4	HP1 /2	HP1s	HP 1	HP 1b	HP 2	HP 3	HP 4	HP 5	HP 6




1021	1023	1025	1027	1031	2008	2010	2012	2014	2016
HP 7	HP 8	HP 9	HP 10	HP 12	HP 34	HP 35	HP 36	HP 37	HP 38




2018	2021	2023	21008	21009	21010	21012	21014	21016	21018
HP 39	HP 40	HP 41	HP55	HP 56	HP 57	HP 58	HP 59	HP 60	HP 61



21021	21023	31008	31009	31010	31012	31014	31016	31018	31021
HP 62	HP 63	HP 555	HP 556	HP 557	HP 558	HP 559	HP 560	HP 561	HP 562





31023	33008	33009	33010	33012	33016	33021	33023	33L009
HP 563	HP 698	HP 699	HP 700	HP 701	HP 702	HP 703	HP 704	HP 699 L



33L010	33L012	33L016	33L021	31R010	31R012	31R014
HP 700 L	HP 701 L	HP 702 L	HP 703 L	HP 1557	HP 1558	HP 1559

Tungsten Carbide Cutter . HP
钨 钢 磨 头





Super Fine Cross Cut (SFE) 特细双纹 黄圈 ISO 500.104.110.



编 号 No.	C023SFE	F040SFE	F060SFE	G023SFE	L016SFE	L023SFE	L040SFE	L060SFE	M060SFE	P023SFE
参考号 Ref.	0230.023	7230.040	5430.060	1030.023	1230.016	0130.023	5730.040	5530.060	5930.060	7730.023

Fine Cross Cut (FE) 较细双纹 红圈 ISO 500.104.140.



QS023SFE	Q023SFE	C023FE	C060FE	F060FE	G040FE	G060FE	L016FE	L023FE
0830.023	0430.023	0220.023	5820.060	5420.060	6120.040	5320.060	1220.016	0120.023

Medium Cross Cut (CE) 标准双纹 蓝圈 ISO 500.104.190.



L040FE	L060FE	M060FE	P023FE	P060FE	Q023FE	A023CE	C023CE	C060CE
5720.040	5520.060	5920.060	7720.023	5120.060	0420.023	0310.023	0210.023	5810.060




D023CE	D030CE	D040CE	D050CE	F040CE	F060CE	G023CE	G040CE	G060CE	L023CE
7110.023	7110.030	7110.040	7110.050	7210.040	5410.060	1010.023	6110.040	5310.060	0110.023



Medium Plain Cut (CN)
标准单纹
蓝圈
ISO 500.104.175.

L040CE	L060CE	M023CE	M040CE	M060CE	P023CE	P060CE	Q023CE	D030CN
5710.040	5510.060	—	—	5910.060	7710.023	5110.060	0410.023	7170.030



Coarse Cross Cut (SCE)
粗糙双纹
绿圈
ISO 500.104.220

D040CN	D050CN	L040CN	L060CN	M060CN	G060CN	F060CN	C060SCE	F060SCE	G060SCE
7170.040	7170.050	5770.040	5570.060	5970.060	5370.060	5470.060	5850.060	5450.060	5350.060



Super Coarse Cross Cut (XCE)
特粗双纹
黑圈
ISO 500.104.223

Straight Edge with Spiral Cut (QSCN)
直刃螺旋纹
蓝圈
ISO 500.104.176


L040SCE	L060SCE	P060SCE	L070XCE	F060QSCN	L023QSCN	L045QSCN	LB060QSCN
5750.040	5550.060	5150.060	6055.070	7275.060	0175.023	5675.045	5275.060



Straight Edge with Cross Cut (GTi)
直刃双纹
黑圈
ISO 500.104.194

Spiral Cut Fine (QF)
较细螺旋纹
红圈
ISO 500.104.134

CS023GTi	LS023GTi	L040GTi	QS023GTi	F040QF	F060QF	L023QF	L040QF
1726.023	0726.023	5726.040	0826.023	7224.040	5424.060	0124.023	5724.040



Spiral Cut Extra Fine (QSF)
特细螺旋纹
黄圈
ISO 500.104.137

CS023QSF	F060QSF	LS023QSF	L040QSF	QS023QSF	ES801	AL023S4
1725.023	5425.060	0725.023	5725.040	0825.023	118.060	467.023

Tungsten Carbide Burs for Milling Machines

钨钢车针(精密研磨仪用)




Precisely match Various System
Extra - long working life & high cutting capacity ;
Used for trimming,polishing implant teeth shoulders ;
Milling precious or Non-precious metals or Titanium .

Medium Cross Cut (CM, LM) 标准双纹 ISO 500.103.190




CM1 CM2 CM3 LM2 LM4 LM6

Fine Cross Cut (CF, LF) 较细单纹 ISO 500.103.135




CF1 CF2 CF3 LF2 LF4 LF6

Coarse Cross Cut (CC, LC) 粗糙双纹 ISO 500.103.220



CC1 CC2 CC3 LC2 LC4 LC6

Max Mill (CW, LW) 蜡型针 ISO 500.103.217



CW1 CW2 CW3 LW2 LW4 LW6

DuCoBur ® 陶瓷结合剂金刚石磨头
豆酷巴 (全瓷、全锆磨头)

Diamond Stones for Zirconia or AllCeramics
(Ceramic Pregnant Diamond Grinding Burs)



Widely Used for Zirconia, Lithium Disilicate, Ceramics etc .
COMFORTABLE at the minimal pressure;
HEATLESS no need water cooling ;
MORE DURABLE under our suggested PRM

不产热、无需水冷 更耐磨、经济实惠 更锋利、手感好 不绷瓷、更轻松 型号齐、用途广、啥都磨得动

Medium Blue
蓝色、中等粒度
1



Item No.	DC009	DC010	DC010B	DC011	DC014	DC015	DC016	DC017	DC003A
Size (mm)	4 x 4	4 x 7	4 x 11	3 x 7	2.5 x 4.5	3.5 x 10	2.5 x 7	3.5 x 11	6.5 x 2



	DC001	DC002	DC002B	DC012	DC012B	DC013	DC004A
	4 x 13	5 x 13	6.5 x 13	13 x 2	13 x 3.5	13 x 2	16 x 2/0.7



	DC005A	DC004	DC005	DC006	DC007
	16 x 2	22 x 2/0.7	22 x 2	22 x 4.5	15 x 3.5

Medium Black
黑色、中等粒度
1



Item No.	DX001	DX002	DX002B	DX012	DX012B	DX013	DX004A
Size (mm)	4 x 13	5 x 13	6.5 x 13	13 x 2	13 x 3.5	13 x 2	16 x 2/0.7



	DX005A	DX004	DX005	DX006	DX007
	16 x 2	22 x 2/0.7	22 x 2	22 x 4.5	15 x 3.5

Medium
Yellow

黄色、中等粒度

1

Item No.	DY001	DY002	DY002B	DY012	DY012B	DY013	DY004A
Size (mm)	4 x 13	5 x 13	6.5 x 13	13 x 2	13 x 3.5	13 x 2	16 x 2/0.7




DY005A	DY004	DY005	DY006	DY007
16 x 2	22 x 2/0.7	22 x 2	22 x 4.5	15 x 3.5

Medium
Green

绿色、中等粒度

1

Item No.	DG009	DG010	DG010B	DG011	DG014	DG015	DG016	DG017	DG003A
Size (mm)	4 x 4	4 x 7	4 x 11	3 x 7	2.5 x 4.5	3.5 x 10	2.5 x 7	3.5 x 11	6.5 x 2



DG001	DG002	DG002B	DG012	DG012B	DG013	DG004A
4 x 13	5 x 13	6.5 x 13	13 x 2	13 x 3.5	13 x 2	16 x 2/0.7



DG005A	DG004	DG005	DG006	DG007
16 x 2	22 x 2/0.7	22 x 2	22 x 4.5	15 x 3.5

Extra Fine
Yellow
Gold shank

Suitable to adjusting Lithium Disilicate, All Ceramics, Zirconia of Occlusal, Lingual, Edge, Intracoronal, Proximal etc.
Dentists will feel very convenient if they can prepare a few pieces beside the chairs .


专门针对诊所的全瓷、玻璃陶瓷打磨抛光、氧化锆牙调咬合、发育沟、窝沟、边缘、内冠、邻面、舌侧等。
黄色、特细粒度。粒度细、不绷瓷。



DY009EF	DY010EF	DY010BEF	DY011EF	DY014EF	DY015EF	DY016EF	DY017EF	DY003AEF	DY001EF	DY002EF	DY012EF	DY013EF
4 x 4	4 x 7	4 x 11	3 x 7	2.5 x 4.5	3.5 x 10	2.5 x 7	3.5 x 11	6.5 x 2	4 x 13	5 x 13	13 x 2	13 x 2

DuCoBur ® 橡胶结合剂金刚石磨头
豆酷巴 (全瓷、全锆抛光磨头)

Diamond Polishers for Zirconia or AllCeramics
(Rubber Pregnant Diamond Polishing Burs)



Widely Used for Zirconia, Lithium Disilicate, Ceramics etc .
COMFORTABLE at the minimal pressure;
HEATLESS no need water cooling ;
MORE DURABLE under our suggested PRM

不产热、无需水冷 更耐磨、经济实惠 手感好、很服帖 抛就亮、更轻松 2号齐、用途广、啥都抛得亮

Super Coarse
Black
黑色、特粗粒度
1



Item No.	D1S	D2AS	D2S	D3S	D3BS
Size (mm)	26x 2	20 x 2	26 x 2	22 x 3	26 x 2

Coarse
Green
绿色、粗糙粒度
1



Item No.	D1C	D2AC	D2C	D3C	D3BC
Size (mm)	26x 2	20 x 2	26 x 2	22 x 3	26 x 2

Medium Blue
蓝色、中等粒度
1



Item No.	D1M	D2AM	D2M	D3M	D3BM
Size (mm)	26x 2	20 x 2	26 x 2	22 x 3	26 x 2



D201M	D203M	D205M	D205BM	D207M	D13M	D17M	D26M
5 x 16	6 x 16	12 x 2	12 x 4	12 x 2.5	14 x 2	17 x 2.2	26 x 2.2

Fine Red
红色、较细粒度
1



Item No.	D1F	D2AF	D2F	D3F	D3BF
Size (mm)	26x 2	20 x 2	26 x 2	22 x 3	26 x 2



D201F	D203F	D205F	D205BF	D207F	D13F	D17F	D26F
5 x 16	6 x 16	12 x 2	12 x 4	12 x 2.5	14 x 2	17 x 2.2	26 x 2.2

Extra Fine
Yellow
黄色、特细粒度

1



Item No.	D1EF	D2AEF	D2EF	D3EF	D3BEF
Size (mm)	26x 2	20 x 2	26 x 2	22 x 3	26 x 2



D201EF	D203EF	D205EF	D205BEF	D207EF	D13EF	D17EF	D26EF
5 x 16	6 x 16	12 x 2	12 x 4	12 x 2.5	14 x 2	17 x 2.2	26 x 2.2

Ultra Fine
Grey
灰白色、特细粒度

1




Item No.	D1UF	D2AUF	D2UF	D3UF	D3BUF
Size (mm)	26x 2	20 x 2	26 x 2	22 x 3	26 x 2



D201UF	D203UF	D205UF	D205BUF	D207UF	D13UF	D17UF	D26UF
5 x 16	6 x 16	12 x 2	12 x 4	12 x 2.5	14 x 2	17 x 2.2	26 x 2.2

Silicon Rubber Wheels , Points & Burs
For Polish Ceramics
胶轮、胶粒、硅胶磨头 (烤瓷牙抛光)



White, Coarse , to adjust and remove Porcelain
白色，粗糙，用于烤瓷工件的修整。
Pink, Medium , to Smooth or polish Porcelain,
粉色，中等，用于烤瓷毛面平整和预抛光。
Blue, Fine , to high-lustre polishing Porcelain,
蓝色，较细，用于烤瓷工件的细抛光。

Coarse White
白色、粗糙
100



Item No.	C 104 C	C 107 C	C 101 C	C203C	C201C	C205C	C207C
Size (mm)	22x 3	22 x 3	6 x 22	6 x 13	5 x 13	12 x2	13 x 2

Medium Pink
粉色、中等粒度
100




Item No.	C 104 M	C 107 M	C 101 M	C203M	C201M	C205M	C207M
Size (mm)	22x 3	22 x 3	6 x 22	6 x 13	5 x 13	12 x2	13 x 2

Fine Blue
蓝色、较细
100



Item No.	C 104 F	C 107 F	C 101 F	C203F	C201F	C205F	C207F
Size (mm)	22x 3	22 x 3	6 x 22	6 x 13	5 x 13	12 x2	13 x 2

Rubber Wheels , Points & Burs
For Polish Metal or Alloy
胶轮、胶粒、橡胶磨头 (金属、合金抛光)




Black, Coarse , to adjust Cobalt-Chromium Alloy and hard metal
黑色，粗糙，用于磨削钴铬合金和硬金属。
Brown, Medium , to remove metal and semi-precious metal
棕色，中等，用于烤瓷毛面平整和预抛光。
Green, Fine , to fast smooth scratch or polish metal,
绿色，较细，用于快速去除划痕和抛光金属。

Coarse Black
黑色、较粗
100



Item No.	A102 C	A103C	A104 C	A203C	A201C	A206C	A207C
Size (mm)	22x 3	22 x 3	6 x 22	4 x 12	5 x 13	12 x2	13 x 2

Medium Brown
棕色、中等粒度
100



Item No.	A102 M	A103 M	A104 M	A203M	A201M	A206M	A207M
Size (mm)	22x 3	22 x 3	6 x 22	4 x 12	5 x 13	12 x2	13 x 2

Fine Green
绿色、较细
100



Item No.	A102 F	A103 F	A104 F	A203F	A201F	A206F	A207F
Size (mm)	22x 3	22 x 3	6 x 22	4 x 12	5 x 13	12 x2	13 x 2

Silicon Polishing Burs For Composites, Resins
硅胶磨头 (树脂胶托抛光)



Green, Coarse , to reduce, finish Acrylic ,Resin.
绿色，粗糙，用于修整和成型树脂胶托。
Gray, Medium , to Smooth Acrylic, Resin.
灰黑色，中等，用于平整和预抛光树脂胶托。
Yellow, Fine , to final polish Acrylic , Resin.
黄色，较细，用于树脂胶托的细抛光。

Coarse Green
绿色、粗糙
100



Item No.	Rh 101 C	Rh 103 C	Rh 106 C	R103C	R106C	R209C
Size (mm)	13 x 20	10x 24	10 x 20	10x 24	10 x 20	6 x 13

Medium Gray
灰黑、中等粒度
100



Item No.	Rh 101 M	Rh 103 M	Rh 106 M	R103M	R106M	R209M
Size (mm)	13 x 20	10x 24	10 x 20	10x 24	10 x 20	6 x 13


Fine Yellow
黄色、较细
100




Item No.	Rh 101 F	Rh 103 F	Rh 106 F	R103F	R106F	R209F	R202F
Size (mm)	13 x 20	10x 24	10 x 20	10x 24	10 x 20	6 x 13	4 x 12

Green Stones
Contour Ceramic

绿车石
调烤瓷



编号 No.	G-01	G-02	G-03	G-04	G-05	G-06	G-08	G-09	G-17



GS-13	G-13	GS-16	G-16

Pink Stones
for Metal
粉车石
调金属,合金



P-01	P-02	P-03	P-04	P-05




P-06	P-08	P-09	P-17	PS-13	P-13	PS-16	P-16


White Stone
for Metal
Composite,
白车石
调金属,树脂



P-16	W-01



W-02	W-03	W-04	W-05	W-06	W-08	W-09	W-17	WS-13	W-13



WS-16	W-16

Mounted Sandpaper 砂纸棒



240#	400#	600#	800#	1000#	1500#	2000#	2500#	3000#	5000#

Polishing Brushes 抛光刷



01MT25	01Mp25	01My25	01Ms25	01M22
Red.Soft	Red.coarse	Brown. Medium	Purple.fine	Blue



01SiC22	01Al22	01A22	01B22	01D22	01E22	01F22
Silicon Carbide	Al. Oxide	Crimped steel wire	Crimped brass wire	Chungking Bristle	Grey Pony hair	Grey goat hair



01G22	01Fr22	01D19	01E19	01F19	01G19
White goat hair	Goat hair / chamois	Chungking Bristle	Grey Pony hair	Grey goat hair	White goat hair



01P22	01Q22	01R22	01Ry22	01R22.2	01Ry22.2	01S22	01T22
Yellow cloth	White cloth	Chamois leather	Sheep Leather	Brown Micro-Fiber	White Microfiber	Cashmere	Cotton yarn



02D22	02E22	02G22	04A12	04B12	04D12	04F12
Chungking Bristle	Pony hair	White goat hair	Steel	Brass	Bristle	Goat Hair




05SiC05	05Al05	05A05	05B05	05D05	05E05	05F05
SiC	Al. Oxide	Steel	Brass	Bristle	Pony Hair	Goat Hair

Polishing brush & Wheel in Bristle, Cotton Cloth
抛光刷




These brushed are made of bristle hair or White, yellow pure cotton cloth , assembled on polishing latch to finish or polish Plaster Moulds, Acrylic
台式抛光机配用的抛光刷/布轮,用于抛光塑料,树脂,模型等。




P80C	P80S	J 03	J 02	J 01

2A	2B	2C	6A	6B	6C




03B48	03D48	03G48	03T48
Crimped brass Wire	Black bristle	White Goat Hair	Cotton Yarn



3 x 40	4 x 40		
3 x 50	4 x 50	5 x 50	6 x 50



4 x 50	5 x 50	6 x 50




Item	2A	2B	2C	6A	6B	6C	J03	J02	J01	P80	03B48
D	79	73	68	64	60	54	70	58	51	80	48
d	48	48	48	35	35	35	35	30	25	40	25
e	6.5	6.5	6.5	6.5	6.5	6.5	8.5/5	8/5	7/5	6.5	6.35
B	16	16	16	16	16	16	24	16.5	15	36	9
Rows	2	2	2	2	2	2	3	2	1	4	1

Converging Straight

Felt Bobs & Burs 毛毡磨头




03N25	03Ns25	3P	2P	1P	1R
25 x 5 mm, 硬质	25 x 5 mm, 软质	15 x 25 mm	20 x 40 mm	22 x 50 mm	22 x 50 mm




G6	G9	A6	A9	N22	P19	P22	T22

Mandrels Stainless Reinforced 不锈钢夹针



编号 No.	32HS	51HS	52HS	81HS	25HS	53HS	55HS	D20HS	D30HS	52D
Head size	3.0mm	5.0mm	5.0mm	8.0mm	2.5mm	5.0mm	5.0mm	5.0mm	6.0mm	5.0mm

Mandrels Steel 普通夹针



编号 No.	51H	52H	72H	54H
Head size	5.0mm	5.0mm	7.0mm	5.0mm

Hard Z Cutter 硬锆磨头

Made of Nano-grade Zirconia, used to grinding, finishing or polishing Ceramics and Acrylic , Resin, Zirconia etc. Also applied to Soft materials such as wood, Ceramic or stones etc

用于打磨,成型,抛光烤瓷,树脂,氧化锆（烧结前）。特殊的纳米级氧化锆胚体精制而成。




ZL040QF	ZL040MCE	ZD023SCE	ZCs016XCN	ZC023XCE	ZLs016SCE	ZB023XCE




ZF060XCE	ZF060SCE	ZF060CE	ZF060FE	ZF060SFE	ZL060XCE	ZL060SCE	ZL060CE	ZL060FE	ZL060SFE

Sharpening Stones 磨刀石





1W
75x25x8mm



1G
75x25x8mm



2W
100x15x15mm



2G
100x15x15mm




Cleaning Brushes By Hand 清洁刷(手用)



FBB-01	FBB-02	FBB-03	08A05	08B05	08SiC05

Stainless Steel Disc 不锈钢小锯片

for Soft Plastic,Acrylic, Wood etc.



SS16	SS19	SS22	SS25
16x 0.2mm	19x 0.2mm	22x0.2mm	25x0.2mm

Stone Disc 刚玉车片




G101	P101	W101
22x 3mm	22x3mm	22x3mm

3Z09.1 Zirconia Luster Polishing Kit 氧化锆抛光套装




+ 2 pieces of Diamond Stones DG001 , DG012
+ 2 pieces of Diamond Polishers, Blue, D203M, D3M
+ 2 pieces of Diamond Polishers, Yellow, D203EF, D3EF

3Z00.2 Grinding and polishing Kit of Zirconia 氧化锆打磨抛光套装




+ 2 pieces of Tungsten carbide Burs HP 699, F040SFE
+1 set of Diamond Disc Em19D20 Mounted
+4 pieces of HP Diamond Burs: MK37, FM27,FD30,MD14
+4 pieces of Diamond Stones: DG017,DG002,DG004,DG005
+4 pieces of Diamond Polishers: D205M, D205F, D205EF, D201EF .

3Z00.3 Grinding and Polishing Kit for Zirconia 氧化锆打磨抛光套装




+ 1 piece HP Tungsten Carbide Burs HP 699
+ 5 pieces Diamond Burs : MG50, MD14, FD30, FM27, MK37 ;
+ 1 set of Diamond Disc Hm19D20 Mounted
+ 1 piece of Diamond Polisher D1M
+ 1 set of Silicon polisher C104C Mounted

3L04.2 Grinding and Polishing Kit for Lithium Disilcate 玻璃陶瓷打磨抛光套装




+ 1 set of Diamond Disc HM19D20, Mounted ,
+ 3 pieces of Diamond Stones DG017 , DG004, DY001EF
+ 3 pieces of HP Diamond Burs MD10, MB12, MR23
+ 3 piece of Diamond Polisher D1M, D13F, D13UF
+1 piece of Silicon Polisher C205C

3L04.3 Grinding and Polishing Kit for Lithium Disilcate 玻璃陶瓷打磨抛光套装



+ 1 set of Diamond Disc HM19D20, Mounted ,
+ 2 pieces of Diamond Stones DG004, DY001EF ,
+ 3 pieces of HP Diamond Burs MR23, ML16, MM27 ,
+ 1 piece of Diamond Polisher D1M
+ 1 piece of Silicon Polisher C205C

3MC02.3 Adjusting and Polishing Kit for Ceramics 烤瓷工件打磨抛光套装



+ 1 piece of HP Diamond Burs MR23
+ 1 piece of HP Silicon Polisher C203C
+ 1 piece of Diamond Polisher D26f
+ 2 pieces of Polishing Brushes 01G22 , N22

3MR09.1 Adjust & Polish Invisible Braces 隐形牙套调整抛光套装



+ 1 piece of Tungsten Carbide Burs AL023S4
+1 set of Diamond Disc C19D20, Mounted
+2 pieces of Polishing Brushes 01Ms25 , 01S22

3A00.1

Popular HP Kit for grinding or polish Metal or Alloy
常用打磨抛光金属、合金的套装



* Universally grind,remove,polish and finish of Alloy, metal,Jewellery, stones etc. It widely applied to Laborary,DIY or Hobbies.
+ 5 pieces of HP sintered diamond burs ,
+ 4 pieces of HP Tungsten Carbide Cutters
+ 10 pieces of HP Tungsten Carbide burs
+ 4 pieces of White stones
+ 2 pieces of Pink stones
+ 10 pieces of HP Silicon Polishers
+ 3 pieces of Rubber wheel mounted
+ 1 pieces of Woolen Felt wheel mounted ,
+ 5 pieces of HP Polishing brushes

3MC00.1

Popular HP Kit for grinding or polish Ceramics / Porcelain
常用打磨抛光烤瓷的套装



* Universally grind,remove,polish and finish of Ceramics or Pocelains etc. It widely applied to Laborary,DIY or Hobbies.
+ 10 pieces of HP Diamond burs ,
+ 4 pieces of Diamond Discs mounted
+ 6 pieces of HP Green Stones
+ 3 pieces of Silicon Rubber wheel mounted
+ 8 pieces of Silicon Rubber Polishers
+ 4 pieces of Polishing brushes

3LR00.1

Popular HP Kit for grinding or polish Acrylic, Resin
常用打磨抛光树脂胶托的套装



* Universally grind,remove,polish and finish of Acrylic, Resin etc. It widely applied to Laborary,DIY or Hobbies.
+ 2 pieces of HP Tungsten Carbide Cutters
+ 32 pieces of HP Silicon rubber Polishers
+ 10 pieces of Polishing brushes
+ 3 pieces of Woolen Felt polishing brushes

3Z00.1

Popular HP Kit for grinding or polish Zirconia, Lithium Disilicate
常用打磨抛光氧化锆、玻璃陶瓷的套装



* Universally grind,polish and finish of Zirconia and Lithium Disilicate etc. It widely applied to Laborary,DIY or Hobbies.
+ 4 pieces of HP Diamond Burs
+ 2 pieces of Diamond Discs Mounted
+ 6 pieces of Diamond Stones
+ 4 pieces of Diamond polishing wheels
+ 2 pieces of Diamond polishing burs
+ 5 pieces of Diamond Twist polishers
+ 1 pieces of Polishing brush .


ZS100

Hot HP Mounted stones mixed
车石套装,常用。



* 100 Pcs, Hot Mounted stones in Green, Pink, White , applied to Alloy, metal, ceramics, Jewellery, stones, hard wood etc.
+ 30 pieces of HP Green Stones
+ 30 pieces of HP Pink Stones
+ 30 pieces of White Stones
+ 10 pieces of Brown Stones

ZD 101
Popular HP diamond burs KIT
常用金刚石磨头套装




MD23, MK47, MJ60, MA23, MC18, MM27, MB21, ML40, MG16, MR23

10 Hot Spec. of HP Diamond, universally grind,remove,polish and finish of Alloy, metal,Jewellery, stones etc.
It widely applied to Laborary,DIY or Hobbies.

用途：选取10支最常用的金刚石磨头，形状全,大小适中，可以用来处理陶瓷工件。

ZD 101F
Popular HP diamond burs KIT
常用金刚石磨头套装




FD23, FK47,FJ60, FA23, FC18, FM27, FB21, FL40, FG16, FR23

10 Hot Spec. of HP Diamond of Fine grit, universally grind,remove, polish and finish of Zirconia, Lithium Disilicate, Porcelain etc.
It widely applied to Laborary,DIY or Hobbies.

用途：选取10支最常用的金刚石磨头，形状全,大小适中，可以用来处理氧化锆、玻璃陶瓷，烤瓷等工件。

ZD 102
Small & Tiny Cut,HP diamond burs KIT
金刚石磨头,小号套装




MD10, MD14, MD23, MK16, MA16, MA23, MC25, MM12, MM18, MM27, MB12, MB16, MB21, ML16, ML23, MN18, MG16, MR23, MQ23, MU50 .

20 Spec. small or sharp burs . To create tiny hole, slim curves or tiny, deep grind smartly . Used to Alloy, metal,ceramics, Jewellery, stones, hard wood etc.It widely applied to Laborary,DIY or Hobbies.

用途：20支金刚石磨头,用来开小洞,孔，细边,细槽,或者小的磨削。很轻巧，灵活。适用于各种金属,合金,陶瓷,珠宝,宝石,木头等。

ZD 103
Fast Trimming, HP diamond burs KIT
金刚石磨头套装,快速磨削



CQ23, CL40, SD35, SA50, SC40, SP70, SG50, SV70, SV60, SF60

20 Spec. HP Diamond for fast trimming, Grinding of of Plastic, Jewellery, stones, Hard wood,etc. Save time when removing and work efficiently

用途：10支常用的金刚石磨头，头部相对比较大，可以快速磨削塑料,木头,陶瓷和石头等等，适用于齿科,珠宝加工和DIY爱好者。

ZD 104
Hot Fully-Sintered diamond KITs
全砂烧结磨头套装,常用




C 050S, F050S, L050S, B050C, A037, G050, C037F, F050F, M050EF, G050EF

10 spec. Hot Fully-sintered Diamond HP burs, universal grind,remove,polish and finish of Alloy, metal, Jewellery, stones etc. It widely applied to Lab, DIY or Hobbies.

用途：10个常用全砂烧结磨头，5种不同粗细。广泛适用于研磨,抛光金属,合金,珠宝,宝石. 经久耐用,方便实惠.

ZD 105
Fast Trimming Fully-Sintered diamond KIT
全砂烧结磨头套装,大磨削




K080S, K100S, J100S, C070S, M070S, B070S, L070S, G060S, F070S, R070S

If workpieces are extremely hard and waste too much time when grinding, this fast trimming kit may help to work efficiently. Applied to Alloy, metal, Jewellery, stones, hard wood,etc

用途：10个大头的全砂烧结磨头，用于粗磨，去块，效率高，经济实惠。

ZT 101
Popular HP Tungsten carbid burs KIT
常用低速钨钢针




HP 1/4, HP ½,HP 1, HP 2, HP 3, HP 4, HP 5, HP8, HP 34, HP 36,HP 38, HP 41, HP 556, HP 557, HP 560, HP 563, HP 699, HP 701, HP 702, HP 704

20 Spec. HP Tungsten Carbide burs are used to create tiny hole, slim curves or tiny, deep grind very smartly. It is applied to Alloy, metal,ceramics, Jewellery, stones, hard wood etc.

用途：20个型号钨钢车针,用于雕牙花，钻小孔，洞，开细槽，细线等，金属，合金，宝石，坚木都可以用。

ZT 102
Hot Tungsten carbide cutters Kit
钨钢磨头套装,常用



D050SP, L040SC, L060SC, F060SC, B023SC, L023SC, L040FC, C023FC, L040EFC, F060CC

10 spec. Tungsten carbide Cutter, universal grind,remove,polish and finish of Acrylic , Resin , stones , soft metal or wood.

用途：10个常用钨钢磨头,形状全，大小适中。主要用来研磨,抛光塑料，树脂，软金属，石头等,方便实惠.

ZF 101
Acrylic Polishing Kit
树脂基托抛光套装



F060SC, L040SC, U12 x 2 , U13 x 2, U16 x 2

Simple and straight way to adjust Acrylic without the problem associated with pumice.

用途：2个型号的钨钢磨头快速磨削，三个不同粒度的硅胶磨头依次进行抛光。

ZA 101
Non-precise metal, Alloy Adjust and polish
非贵金属，铬钴调整与抛光



W-01, W-09, W-08, W-16, W-03, W-06
A201C, A203C, A206C, A201F, A203F

To adjust and polish Cobalt-chromium, nickel chromium Alloy. White stones for adjusting or grinding , Rubber burs for polishing .

用途：试用于铬钴、镍铬合金等非贵金属的研磨和抛光
6支白车石用来研磨和调整，5支硅胶磨头用来抛光。

ZP 100
Sandpaper Polishing burs Kit
砂纸棒套装




240 #, 400#, 600#, 800#, 1000#, 1500#, 2000#, 2500#, 3000#, 5000#

10 different Grit Sandpaper burs are used for polishing Alloy, metal, Jewelery stones, hard woods etc , Working step by step, mirror surface in comming soon, water cooling or dry are acceptable.

用途：10个不同粒度的砂纸棒，从240目到5000目不等，请根据需要，选取合适的粒度，耐心细致的使用。

Z 2001
Popular Felt Polishing bur Kit
毛毡抛光磨头套装



12 pieces of High quality Felt polishing burs are widely used to mould, Alloy, metal,Jewellery, stones, Hard woods etc .

12 pieces of High quality Felt polishing burs are widely used to mould, Alloy, metal,Jewellery, stones, Hard woods etc .

用途：12支常用的毛毡磨头，广泛适用于各种模具，金属，陶瓷，珠宝，宝石和木头等。

Samples Collection

样品册



- Flip-Cart Plastic Pages ;
- Smart, Easily fill all burs ;
- Economic and Recyclable ;
- Nice-looking for showing to Customers;
- Convenient to take to anywhere .



No. 171B5

Empty Collection Wallet
样品本(不带车针)



4 Colors Available ,
100 holes per page,
5 pages per set,
Smart to HP Burs



No. 1704D

Sintered Diamond Burs Collection
全砂烧结磨头样品本



115 specifications ,
Fully Sintered Diamond,
HP shanks



No. 1705D

HP Diamond Burs, Mounted Stones
金刚石磨头, 车石样品本



More then 100 specifications ,
Electraplating Diamond burs
HP Shanks



No. 1707T

Tungsten carbide Burs Collection
高品质钨钢磨头样品本



More than 100 specifications ,
High Quality TC burs,
HP Shanks



No. 1708P

Polishing Burs, Mandrels Collection
抛光磨头,夹针样品本



More than 100 specifications ,
Silicon, Rubber, Diamond burs
HP Shanks



隐形义齿胶

FlexSoft
Partial Dentures



The alternative to conventional Partial Dentures ;
Flexible . Soft. Easy-to-finish.Easy-to-polish
弹性好，易成型，易抛亮，美观大方。



编号 No.	规格 Spec.
D2	Crystal ; 18 gs
C1	Ligith Pink ; 9 gs
C2	Ligith Pink ; 18 gs
B1	Standard Pink ; 9 gs
B2	Standard Pink ; 18 gs
A1	Deep Pink ; 9 gs
A2	Deep Pink ; 18 gs
For bulk pak of 1 kilo.	
C3	Ligith Pink ; 1000 gs
B3	Standard Pink ; 1000 gs
A3	Deep Pink ; 1000 gs

Crystal (D)
(透明)

Light pink (C)
(浅粉红)

Standard pink (B)
(粉红)

Deep pink (A)
(深粉红)



Instructions for Use

Suitable for: Partial and complete dentures, occlusal splints and nightguards.
Not Suitable for: Small unilateral restorations.
Warnings: Use eye protection and heat-resistant gloves when injecting.
Use proper ventilation, vacuum system and masks when
grinding prosthodontic resins.
Precautions: Cartridge must be injected within 1 hour of opening the
foil pouch.

I. PREPARING THE MASTER MODEL FOR DUPLICATION
All undercuts that will affect the path of insertion should be blocked-out with wax prior to duplication. Do not relieve necklines of teeth or areas desirable for retention. For free-end saddles, it is not necessary to remove the distal undercut of the last natural tooth, unless the area is too deep. For free-end saddle cases where anterior teeth are also being replaced, undercuts in the anterior should also be blocked out.

II. SET-UP
Duplicate blocked-out master model. Articulate the duplicate model and the master model (you will need the master model articulated at finishing steps to check occlusion). Set up the case on the duplicate model using only wax (no base plate). Allow 1 mm of thickness under the teeth to flow to the labial
side and into the retention diatorics in the teeth. Use a small round carbide bur to create mechanical retention in the teeth, from mesial to distal and connected to the center diatoric hole.

III. WAXING
Important: Wax the case with anatomical features to reduce grinding during the finishing stage.
Recommended thickness of wax-up:
1. Palatal thickness 1.2 - 1.5 mm
2. Buccal & Labial Flange 1.2 - 2.0 mm
3. Clasps 1.0 - 1.5 mm
4. Lingual Flange 1.2 - 2.0 mm
5. Lingual Major Connector (Mandibular) 1.7 - 2.0 mm

IV. INVESTING AND SPRUING
Invest the case in the center of the flask, aiming the posterior portion toward the sprue opening. After the stone (or plaster) has set, use two sprues from the flask opening to the most posterior portion of the wax on both sides (see diagram). Sprues should be approximately 7 mm. width. Do not create sharp angles with the sprues, as the heated resin must flow in a straight or slightly curved path. Apply a thin layer of petroleum jelly on the entire stone surface. Then invest top half of flask.

V. REMOVING WAX
After the stone has set, place flask in boiling water for 8 minutes. Open the flask and wash out the wax, making sure all wax residues are eliminated. Allow the flask to cool. Apply thin layers of separator on the entire surface of the stone and allow it to dry completely. Do not apply separator on teeth. When dry, close flask.

VI. INJECTING
Wear safety goggles and heat-protective gloves for this procedure.
Spray inside of the cartridge sleeve with mold release spray and place it into furnace. Turn on the furnace and allow it to reach approximately 550°F (290°C), preheating cartridge sleeve for approximately 15 minutes.
Remove cartridge from foil-lined bag (do not remove cartridge from bag until this step). Spray the cartridge and bronze disk with mold release spray. Insert the cartridge into the cartridge sleeve with the cap end first. Insert the bronze disc into the cartridge sleeve against the end of the cartridge. Use the thick bronze disc for medium tubes and the thin bronze disc for the large tubes. Heat cartridge for 12 minutes.
Position the flask with the sprue end up, directly under the shaft of the press. After 12 minutes, remove the cartridge sleeve from the furnace. Keep the cartridge sleeve in a horizontal position until resting on top of the flask, and then turn the cartridge sleeve into a vertical position. Immediately use the press to inject the heated cartridge into the flask using a steady fast motion. Continue applying pressure until tube bursts and continue with maximum downward pressure for 3 minutes.
Remove the cartridge sleeve from the flask with a slight twisting motion. After removing the cartridge sleeve, let the flask cool for at least 30 minutes. Do not put flask into a cold water bath. Use a plaster nipper to de-flask. Do not use a hammer. Remove the compressed cartridge from the cartridge sleeve with a knock-out punch.
Important: Cartridge sleeve must be pre-heated for 10 minutes BEFORE the next injection.


VII. FINISHING AND POLISHING
Remove appliance from the model. Cut off the sprues with a cut-off wheel. Trim the edges of appliance with a coarse grinding wheel. Avoid overheating. Use rubber wheels to smooth scratches. Place the appliance on the articulated master model to check the fit, retention, thickness and occlusion. Clean the tissue surface with a small bristle brush.
To polish, use a coarse dental abrasive, such as pumice, with a wet rag wheel.
Apply final shine with a hi-shine compound on low speed with a final buff wheel.
Be careful not to overheat appliance.


铝桶


Empty Aluminum Cartridge

编号 No.	规格 D x H, mm
25085	25 x 85 mm
25100	25 x 100 mm
25CAP	24.2 x 16 mm, Cap
22065	22 x 65 mm
22085	22 x 85 mm
22100	22 x 100 mm
22120	22 x 120 mm
22CAP	21.2 x 16 mm , Cap









阿里官网
Website on Alibaba

微信公众
WeChat

深圳点锋研磨材料有限公司
Shenzhen Dian Fong Abrasives Co.,Ltd
地址: 广东省深圳市龙岗区平湖街道辅城坳社区金城路4号盛通云谷C座3楼
Address : 3rd Floor, Block C, ShengTong YunGu, JinCheng Rd., FuChengAo, PingHu,LongGang Distr., 518000, Shenzhen, GuangDong Province, China
网站(Web): www.dianfong.com ； 邮箱(Email): dianfong@foxmail.com
电话(Tel.): +86-755-2834 4545 or 2885 6246 or 2885 6248 ,
手机(Mobile, Wechat, Whatsapp) : +86 13528829441